



8 5

# EVERYTHING YOU NEED TO CREATE YOUR DREAM

PORCELAIN

39

45

47

48

52

35 SYMPHONY® Plus Classic

36 SYMPHONY® Plus Urban

37 SYMPHONY® Plus Natural

38 SYMPHONY® Plus Planks

SYMPHONY® Matte

40 SYMPHONY® Classic

42 SYMPHONY® Urban

43 SYMPHONY® Natural

44 SYMPHONY® Planks

46 SYMPHONY® Lapis

Motus

Ardara

51 Woodstone®

Argent<sup>®</sup>

53 Heritage®

54 Perfecta®

55 Organa®

56 Saxon®

59 Utility

57 Firedstone®

58 Textured Utility

CONCRETE

49 Arrento®

SYMPHONY® Elements

# INSPIRATION

- 4 Creating Better Spaces for everyone
- 6 Start your project
- 8 Patio inspiration
- 10 Driveway inspiration
- 12 Choosing the right installer
- 13 Marshalls Register of Accredited Installers
- 14 Choosing the right paving
- 16 Marshalls Home Delivery service

- 32 Sylvern®
- 33 Indian Sandstone Riven

### **GARDEN PAVING**

### NATURAL STONE

- 18 Scoutmoor®
- 19 Lazaro<sup>®</sup> Marble 20 Sawn Versuro®
- 22 Flamed Narias®
- 23 Capleton®
- 24 Granite Eclipse®
- 26 Casarta Slate®
- 27 Towngate®
- 28 Antique Alverno®
- 29 Natural Slate
- 30 Limestone Aluri®
- 31 Alvanley® Pavers

### DRIVEWAY PAVING

### NATURAL STONE

- 61 Driveway Setts
- 62 Natural Stone Setts
- 63 Scoutmoor® Setts
- 64 Cropped Porphyry Setts
- 65 Magnasett®
- 66 Farnley® Setts
- 67 Granite Eclipse® Setts
- 68 Newdale

### PORCELAIN

70 SYMPHONY® Plus Drive

### CONCRETE

- 72 Drivesys® Original Cobble
- 73 Drivesys® Riven Stone
- 74 Drivesys® Flamed Stone
- 75 Drivesys® Split Stone
- 76 Driveline Metro®
- 77 Drivesett Argent®
- 78 Drivesett Natrale®
- 79 Drivesett® Tegula
- 80 Drivesett Coppice®
- 81 Driveline Nova®
- 82 Drivesett Savanna®
- 83 Driveline 50®
- 84 Standard Block Paving

### DRAINAGE SOLUTIONS

- 86 Driveline Drain®
- 87 Drivesett Argent Priora®
- 88 Drivesett Tegula Priora®
- 89 Driveline Priora®

### **STEPS & WALLING**

### NATURAL STONE

- 91 Sawn Versuro® Walling
- 92 Traditional Natural Stone
- 93 Stoneface® Textured
- Stoneface® Sawn Veneer 94
- 95 Stoneface® Drystack Veneer

### CONCRETE

- 97 Argent®
- 98 Croft Stone®
- 99 Marshalite®
- 100 Tegula
- 101 Old Mill<sup>®</sup> Brick

### 102 COPINGS AND CAPS

### 104 BULLNOSE STEPS

Scan to view our latest brochure



# GARDEN OR DRIVEWAY....

### **ARTIFICIAL GRASS**

107 Summer Lawn 108 Village Green

### **BORDERS & EDGING**

### **KERBS & EDGING**

110 Driveway Edging111 Marshalls Block Kerb112 4-in-1 Kerb113 Keykerb\*

### 114 BORDERS

116 JOINTING

### **OPTIONAL EXTRAS**

- 119 Green-Away<sup>®</sup> 120 Marshalls Pedestals
- 121 Channels & Telescopic
  - Security Post
- 122 Bespoke Service

## PRODUCT INFORMATION

- 123 Technical Information
  124 General Technical Information
  NOTES
  125 Grass & Paving
- 127 Driveway
- 129 Walling, Steps & Finishing 130 Hard Landscaping Guarantee &
- Order Select Service

### 131 ACKNOWLEDGEMENTS







# CREATING BETTER SPACES® FOR EVERYONE

Be inspired to create your dream garden or driveway using high quality products from Marshalls.

Our 130 years' experience of doing the right things, for the right reasons, in the right way has led us to become the UK's leading hard landscaping supplier as well as a Superbrand.



# Unmistakeable quality

We make a strong commitment to the quality of our products because we know our customers trust us to deliver the highest standards. All of our products are designed, manufactured and sourced to British Standards and the UKCA Standard or other customer requirements.

# Extensive choice

Our range of products is vast, giving you more choice to find what's right for you, whether you're looking for something traditional, contemporary or bespoke. And it doesn't stop there... we're continually investing in new product development to bring you exciting new ranges as well as the much loved ones. In the past year we have also invested in our website so you can order your products or samples online and have them delivered right to your door.

# Ethical and sustainable

Operating in the most ethical and sustainable way is a commitment we make to our customers, partners, stakeholders and the communities where we operate. We only work in partnership with suppliers that share our beliefs and recognise their responsibility to protect the environment and to champion good relationships with their employees and local communities.

# A British Brand

99% of all our manufactured products are made in mainland Britain\* and our concrete is 100% recyclable. By manufacturing products locally, we have full control of our stock availability, allowing for quicker delivery, while also monitoring product quality.

# Marshalls Register

We offer the UK's only nationally accredited landscape contractor scheme, consisting of a network of independent professional installers who we regularly assess to check their levels of competence and performance.

# Technical support

Our technical support starts with lab and product testing and goes through to a highly skilled technical team who know our products inside out, and are on hand to help before, during and after you buy from us.

TAIN We are Living Wage Ethical Trading Initiative Reset Fair Tax Finder We support We s

**Creating Better Spaces and futures for everyone is about much more than the products we offer...** 

...it's our promise that we'll do what's right for the people we work with, the communities we work in, and the countries where we operate. Martyn Coffey, CEO



Ø



# START YOUR PROJECT

# STEP 1



Take a look at our brochure and website to create the vision for how you'd like your dream outdoor space to look and feel.



# ORDER SAMPLES

While you're planning, why not get a feel for your favourite product with a sample? Choose a sample, and we'll deliver it straight to your door within three to five days. Order online today at marshalls.co.uk/gardens

-and-driveways

STEP 3

# NEED AN INSTALLER?

A Marshalls Accredited installer will transform your ideas into the perfect design and installation.

Choose the installer that best understands your vision.

Find your local installer at marshalls.co.uk/findaninstaller

STEP 4

# CHOOSE YOUR PRODUCTS

Browse our product ranges in the brochure and online, and speak to your installer to find the perfect choice for you.



# SIT BACK AND RELAX

Relax in the knowledge your products are guaranteed for a minimum of 10 years\* and were supplied and installed in partnership with the industry's leading hard landscaping brand.



# For complete confidence, choose a Marshalls Accredited Installer and then choose your products

# DECIDE HOW YOU WILL USE YOUR PATIO OR DRIVEWAY

Investing in a new patio or driveway can completely transform your garden. It not only adds value to your property, but creates a more attractive and useable outdoor space.

Before starting your project, here's a few things to consider:

# Your Patio

- Do you want your patio to create a seamless transition between your house and garden?
- Do you want it to be in a sunny or shaded area?
- Do you want to include space for grass?
- Are you leaving enough room for planting?
- Is it large enough for patio furniture?
- Does it need to be child friendly?





### Your Driveway

- Is it practical for your family and friends?
- Is there enough room for cars and to access the road?
- Do you prefer traditional or contemporary?
- Do you want to add plants or shrubs to provide privacy?
- Have you thought about edging and lighting?
- Have you considered drainage design?







2. Ivory porcelain paving in SYMPHONY<sup>®</sup> Classic has been chosen for a sleek and modern finish.

**3.** An accent of Grey SYMPHONY® Classic porcelain paving creates the perfect edging for the various zones.



# A dreamy, multi-level patio...

Landscapia Ltd created a striking patio using a cohesive range of Marshalls products, showing how you can easily create levels whilst adding character to your outdoor space.



**4.** The Stoneface® Drystack Veneer walling adds texture with a slightly traditional feel to seamlessly combine the modern patio with the rest of the garden.

5. The walling is edged off nicely with Silver Grey Casarta Slate® to provide a sharp, crisp contrast to the textured wall and complements the ivory and grey paving.

6. The focal point of the patio is a raised seating area, a fantastic space to entertain or relax, and the glass and cedar screen allows a clear view of the garden and beyond.



(5)

# DRIVEWAY INSPIRATION



**1. Before:** The customer had experienced a few problems with their drive and had been let down with a few unsuccessful attempts at repairing it.

**2.** Innovative multi-height planting beds created using Sawn Versuro<sup>®</sup> Walling add a third dimension to what could be quite a two-dimensional space.

**3.** Providing and keeping drainage within the curtilage (border) of a driveway is important. The gravel here is not only decorative but functional, as it allows any water that falls in the area to retain moisture in the sub-soil and irrigate any surrounding plants and vegetation instead of flowing directly into the already overloaded drainage systems.



.....



# A stylish driveway that fits well with a contemporary property...

Using a mix of colours on your drive is a great way to break up and segment a large space. This award-winning driveway was created by Garden TLC Ltd using a range of Marshalls products. "I wanted to create a unique design with plenty of interest, as well as add a seamless transition from the front of the house to the back" – John Taylor, Garden TLC Ltd



4. The main drive consists of Driveline<sup>®</sup> Nova Coarse in Pebble Grey which has been edged with Light Sawn Granite Eclipse<sup>®</sup> Setts to create a stunning contrast to the London Brick on the house.

**5.** The contrasting Brindle colour of blocks creates a simplistic yet stunning pathway leading to the property.

**6.** A pedestrian area has been created in front of the property using Granite Eclipse<sup>®</sup> Light paving.

7. Using plants which have contrasting foliage shapes is a great way to create visual interest within planting beds.







 $\overline{7}$ 

# CHOOSING THE RIGHT INSTALLER

# A product only performs as well as its installation...

After all your inspiration, planning and investment, finding the right installer is essential, as you will rely on their advice, product knowledge and workmanship to achieve the desired end result.

Here's some tips to follow when selecting an installer:

## / Plan ahead

Good installers are usually very busy so be prepared to wait.

### Invite more than one to quote

This is a big investment and you want to be happy with who you've selected.

### **View their online profile**

See if their skills and services match your requirements.

### Remember cheapest is not always best

Select someone who understands what you want to achieve.

### Ask to see examples of previous work

This is great for inspiration and good installers love to share their work.

Select installers from the Marshalls Register of Accredited Landscape Contractors

Scan to find your local accredited installer



12



# MARSHALLS REGISTER OF ACCREDITED LANDSCAPE CONTRACTORS

# Marshalls REGISTER

Now in its 21st year, the **Marshalls Register of Accredited Landscape Contractors** is here to help bring your project to life.

All Marshalls Register members are independent businesses and whilst assessed for their installation skills they are not employed by Marshalls. With that in mind, we're proud to champion our accredited installers and their ability to create amazing landscape projects.

### The Marshalls Hard Landscape Guarantee

Every member on our scheme is regularly assessed for their installation competence and therefore only members of the Marshalls Register can offer you the Marshalls Hard Landscape Guarantee. The guarantee covers Marshalls products for 10 years and in the unlikely event that your installer has ceased trading, Marshalls will resolve any workmanship defects for 5 years\*.



# CHOOSING THE RIGHT PAVING

Choosing the right paving for your project is so important and there are many options out there. At Marshalls we like to keep things simple, so to help you navigate through our brochure, we've created some quick reference icons that highlight their key features and benefits. A number of our ranges have been developed with a cohesive project in mind. Create your ideal outdoor space with **co-ordinating paving, edging, steps, walling and copings.** 



Made in Britain marque supports British manufacturers up and down the country, helping buyers at home and abroad identify and choose British-Made goods.

99% of all our manufactured products are made in mainland Britain, and by manufacturing locally, we have full control of our stock availability, while monitoring product quality and working practices closely. By shopping from our Made in Britain range, you can rest assured in the knowledge that your carbon footprint is kept to a minimum.



Have complete assurance that all of our stone is quarried and produced in line with a clear set of ethical values, a supply chain that has documented processes and multi-stakeholder audits. This ensures no child labour is used, living wages are paid and basic health and safety standards are in place.

Marshalls was the UK's first heavy side materials company to be accepted into the prestigious UN Global Compact – the World's largest corporate citizenship and sustainability initiative. We are also proud members of the Ethical Trading Initiative (ETI).



ः Marshalls

Our Indian Sandstones don't just meet the base technical levels outlined in the British Standards, they beat them. Further to this, all of our Indian Sandstone has been fully calibrated providing unrivalled strength, durability and ease of installation.

Our stone is rigorously and repeatedly tested by an independent UKASaccredited lab to be sure it is fit for purpose with low water absorption, flexural strength and frost resistance.





All of our ranges are made exclusively for Marshalls, combining exceptional performance and durability with contemporary designs.

Our porcelain paving has an extremely low water absorption rate of 0.01%, which means liquids are unable to penetrate the body, making it less prone to algae growth and staining. They are also rated R11 on the slip skid rating which is perfect for domestic external use. Each slab is also rectified for perfect, consistent lines and uniform joints.

15



Our patented permeable designs offer superior driveway strength as well as long lasting sustainable urban drainage.

Designed to manage driveway drainage, permeable paving allows surface water to pass through the joints directly into the ground below, reducing the risk of flooding and not overloading drains. Choosing any of our permeable block pavers for your project means you won't need any additional planning permission or drainage.



: Marshalls

Surface Performance Technology follows decades of manufacturing expertise and refined processes that have enhanced the surface layer of our products, without compromising their structure and performance. SPT products also use advanced hydrophobic technology to reduce staining and efflorescence.

By using high-quality aggregates, binders and pigments in the surface layer, we are able to bring you a range of products, under the SPT stamp, that enable you to create a premium finish on your project.



Our Grass Standard covers all areas you need to look at when considering your artificial grass purchase.

This standard sets the benchmark for quality with high quality backing, 100% polyethylene yarns and is also guaranteed against UV damage for 10 years.



For a straight forward installation, the correct amount of jointing compound is provided on all full pack orders.

Find out more on our website



G

# MARSHALLS HOME DELIVERY SERVICE

🥲 Marshalls



# Everything you need to complete your project, delivered exactly where you need them.

Not every Marshalls product is stocked by your local merchant, so to ensure all our products are available to you all year round, you can use our Home Delivery Service, but still order through your installer or merchant.

Marshalls Home Delivery is a simple and convenient service that gets you all the products you want, delivered exactly where you want them, transacted via your preferred local merchant.

Most Marshalls products are available direct to your home within 3-5 days\* **making sure your project keeps on track.** Minimum orders apply to all Home delivery orders, for full details please contact our sales team on **0333 220 2730.** 

# **P**Track your deliveries

All orders that are being delivered in one of our trucks can now be tracked by customers, thanks to our new delivery tracker... All you need is your order number and site postcode to check the status: **marshalls.co.uk/delivery-progress** 



# NATURAL STONE PAVING

1

Granite Eclipse® Light and Dark

Scan to view our full range online







# SCOUTMOOR®



# Exclusive and iconic British Yorkstone

This stunning, premium British Yorkstone features in many iconic and prestigious locations across the UK, including Trafalgar Square owing to its timeless style and impressive technical performance.

Scoutmoor is predominantly blue/grey in colour with sweeping variable brown bands and is available in two finishes; smooth diamond sawn for that classic look or rustic, with a lightly flamed surface texture for a more traditional reclaimed stone feel.

O: Marchall

✓ Available via order select, see pg 130

PAVING

DELIVER

LUXURY

\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





# LAZARO<sup>®</sup> MARBLE



Ocean

0

19

SCOUTMOOR® & LAZARO® MARBLE

# Classic elegance in iconic marble

This marble paving adds a timeless beauty to properties of all styles. The hallmark veining and white mottling of marble adds to the charm of this iconic stone and the gently tumbled finish promotes a subtle slip-resistant surface. It is available in a choice of colours; pearl or ocean and for a complete garden makeover, we offer Lazaro Marble Steps to complement this paving.

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint. All products come with specific installation guidelines, see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# Complete this look

Steps p104





### **Standard Single Size Packs**



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### **Complete this look** Walling p91, Steps p104, Borders p114, Bespoke p122



### Linear Single Size Packs



All

# SAWN VERSURO®

# Ethically Sourced Sandstone



Caramel Cream Multi

Autumn Bronze Multi

Antique Silver Multi

Golden Sand Multi

# Luxury natural stone with an innovative finish

The Sawn Versuro collection is carefully hand selected from only the finest Indian Sandstone. This versatile range combines aspirational looks and performance with durability and elegance. Its innovative finish brings to life the charm and characteristics of this natural stone. Choose from paving and walling, coping, edging and steps.

### ✓ Available via order select, see pg 130



Ð

0

Ø

 $\mathbf{\mathbf{\hat{o}}}$ 

www.marshalls.co.uk/gardens-and-driveways





\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# FLAMED NARIAS<sup>®</sup>



Autumn Bronze

Silver Birch

# Eye-catching and strong natural sandstone

Our hand-selected, eye-catching Indian Sandstone is precision saw cut and flame treated to enhance the distinct character and enrich the natural colour of the stone. The flaming process also provides a rugged surface texture, which is gently softened with a light brushing.

Cut from exceptionally dense sandstone to ensure durability and with sawn edges to provide sleek and lasting good looks. Available in two colour shades this ethically sourced sandstone is equally at home in a traditional or contemporary setting.

✓ Available via order select, see pg 130





# Natural limestone with unrivalled warmth and character

The natural variations found in this Turkish Limestone provide unrivalled charm and authenticity, and its high quality and durability make it perfect for any property. Co-ordinating paving, pavers and steps available.



# **CAPLETON**<sup>®</sup>





**Grange Paver** 

Manor Paver

23

FLARED NARIAS® & CAPLETON®

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





\*Sizes and coverage are those attained when laid with a 6mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





All

# GRANITE ECLIPSE®



# Clean cut with a contemporary look

A modern and stylish patio paving with a lightly flamed surface texture means it is extremely slip-resistant and guarantees precision, durability and consistent good looks. Create a truly bespoke look by blending the wide range of different sizes and complementary colours.

Granite Eclipse<sup>®</sup> Dark features natural veining throughout, giving beautiful character to this natural stone.

✓ Available via order select, see pg 130







# CASARTA SLATE®



# Premium, tactile and durable Brazilian slate

A beautiful large format, high quality slate from Brazil which imparts a luxurious contemporary look. This naturally clean splitting slate has a gentle riven surface texture and is hand selected for colour consistency. Three large sizes can be laid in a random or regular pattern for an ultra modern look.

\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### Complete this look

Sawn Versuro Paving p21, Sawn Versuro Walling p91



✓ Available via order select, see pg 130



# TOWNGATE®



# Multi Ilti

# Characterful range of value sawn sandstone

This value range of sawn sandstone still provides the charm and character of natural stone, ethically sourced and covered by the Marshalls Stone Standard. Towngate is loosely colour selected, resulting in a more random colour variation once installed.



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

27

CASARTA SLATE® & TOWNGATE®







# ANTIQUE ALVERNO®



Autumn Bronze Multi

Silver Birch Multi

Golden Sand Multi

Silver Limestone Multi

# Antique premium quality stone with rich natural colour

An ethically sourced natural stone paving, which is specially processed to achieve a subtly distressed riven finish with soft, timework edges. Unlike many similarly priced natural stone paving products, Antique Alverno is carefully hand-selected to ensure consistent colour.

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# NATURAL SLATE



Traditional slate with a modern blue twist

The beautiful riven surface of this slate is achieved during the natural splitting process, which is expertly done by skilled stonemasons. The rich aesthetic, deep blue grey colour and sawn edges make this a most striking paving.

Natural slate is an excellent and economical alternative to indigenous British Slate and its versatility and durability make it an extremely popular choice.

\*\*Due to naturally splitting surface, thickness is between 18-24mm.

### Complete this look

Alvanley Pavers p31

29

ANTIQUE ALVERNO® & NATURAL SLATE

✓ Available via order select, see pg 130





# LIMESTONE ALURI®



**Rustic Ochre Multi** 

Charcoal

# Durable, naturally textured limestone

The beautiful, natural texture of ethically sourced Limestone Aluri creates a truly unique finish in any setting. The lightly riven, even texture combined with its extreme durability is the ideal choice for budget conscious, family friendly gardens.



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.







# ALVANLEY® PAVERS



# S S www.marshalls.co.uk/gardens-and-driveways

G

# Endless design capabilities with character and charm

Designed for patios, paths or for detailing edgings with a subtle blend of colour variation and tumbled edges. These pavers offer technically superior performance and provide a unique and luxurious finish to any space.

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 5mm joint. All products come with specific installation guidelines, see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

Complete this look SYMPHONY Urban p42



# **SYLVERN**<sup>®</sup>



# Unique colour variation and character

This superb, durable limestone provides a warm grey colour with diverse tones and unique character that can only be found in natural stone. The naturally split surface is subject to a secondary process that provides an attractive clean finish, this coupled with crisp sawn edges is what lends this product to both traditional and contemporary designs.





**CIT** 

ELIVER MID RANGE

\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



# INDIAN SANDSTONE RIVEN



# SYLVERN® & INDIAN SANDSTONE RIVEN

33

S S & www.marshalls.co.uk/gardens-and-driveway:

STANDARD

# Value sandstone paving

Available in three natural colour variations, our ethically sourced Indian Sandstone is a technically robust yet affordable paving that has been hand selected to give a rustic finish which suits just about any residential setting.



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 125 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# PORCELAIN PAVING

SYMPHONY<sup>®</sup> Urban Steel Also shown: Alvanley<sup>®</sup> Pavers

Scan to view our full range online





1.1

Ma all





# **SYMPHONY® PLUS CLASSIC**



Stone Dark Grey

Stone Light Grey

# Contemporary design to suit all projects

The classic range is comprised of three popular colours and one traditional size, combined with innovation and engineered to be laid on sand for ease of installation.

The design detail of the porcelain tile and plan size of this range have been selected to allow for both contemporary and traditional designs.

35

SYMPHONY® PLUS CLASSIC

### ✓ Available via order select, see pg 130



### **! IMPORTANT LAYING INFORMATION**

This product comes with specific installation guidelines. see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





# SYMPHONY<sup>®</sup> PLUS URBAN



# Modern aesthetics and colours for all designs

Purposefully chosen to suit a more contemporary setting, with the added benefit of quick and simple installation. The colours, size and distinctive design of the urban range are ideal for those wanting to create a modern look.





**This product comes with specific installation guidelines.** see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.




#### **SYMPHONY® PLUS NATURAL**



#### Low maintenance natural stone look

Three individual cool grey colours each with aesthetics representative of beautiful natural stone. The two sizes available will allow this range to be used in a multitude of designs.

The innovative design and construction of this paving means it can be laid on a flexible bed, which reduces installation time significantly.

37

#### **! IMPORTANT LAYING INFORMATION**

This product comes with specific installation guidelines. see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

#### ✓ Available via order select, see pg 130







#### **SYMPHONY® PLUS PLANKS**



Charnwood

Sherwood

✓ Available via order select, see pg 130

DELIVER

PORCELAIN PAVING

££££

LUXURY

#### Wooden plank effect across contemporary colours

The SYMPHONY® Plus Planks range combines the benefits of using a porcelain product to achieve a timber deck aesthetic with ease of installation.

The realistic natural wood designs and colours will create a stunning look that can blend seamlessly from external to internal designs.

**!** IMPORTANT LAYING INFORMATION

This product comes with specific installation guidelines. see pg 125 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



#### Great for creating a statement design

A unique matte look finish creates a stylish design for your patio. Available in a contemporary large single size and in two solid colours and five decorative tiles which can be mixed and matched allowing for a completely unique look.



## SYMPHONY<sup>®</sup> MATTE

Porcelain Paving



39





All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Visit Marshalls YouTube channel to view the porcelain installation video







Visit Marshalls YouTube channel to view the porcelain installation video

All products come with specific installation guidelines, see pg 126 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



#### SYMPHONY<sup>®</sup> CLASSIC



#### Sigma Project Packs - 16.89m<sup>2</sup> coverage 900 × 600 × 20 600 × 600 × 20 13 per pack 18 per pack 9 per pack 19 per pack 19 per pack 19

Barley, Blauw, Blue

# Eye-catching elegant porcelain paving

The classic range is available in six contemporary colours, each with slight tonal variations giving a trendy, unique appearance. A selection of co-ordinated paving tile sizes are available, allowing for a variety of laying patterns to be achieved.

✓ Available via order select, see pg 130



➡ SYMPHONY® CLASSIC





All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

#### SYMPHONY<sup>®</sup> URBAN



# A striking industrial-look porcelain paving

Designed to create an industrial and contemporary look, marrying modern design and sizes alongside the benefits of our classic porcelain paving. SYMPHONY Urban guarantees to provide a wow factor wherever it is used.



Visit Marshalls YouTube channel to view the porcelain installation video ✓ Available via order select, see pg 130



42



#### Capturing the characteristics of natural stone

The SYMPHONY Natural range offers designs that capture characteristics of natural stone, whilst boasting the benefits of a porcelain tile. This paving is perfect to use in those more shaded areas where natural stone may not be as well suited.



## **SYMPHONY®** NATURAL



43





All products come with specific installation guidelines, see pg 126 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

Visit Marshalls YouTube channel to view the porcelain installation video





All products come with specific installation guidelines, see pg 126 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

#### SYMPHONY<sup>®</sup> PLANKS



# A soft wooden plank look, that's serious about low maintenance

All the aesthetic benefits of wood planking with none of the associated performance issues, SYMPHONY Planks Paving will not rot or splinter. Excellent slip-resistant performance and a high resistance to moss and algae growth means it is a long lasting, attractive and natural solution that is available in two sizes.

Visit Marshalls YouTube channel to

view the porcelain

installation video

#### 





#### Bold paving to create stunning designs

Purposely selected for their bold aesthetics, SYMPHONY Elements combines the beauty of authentic metals with the long-lasting benefits of porcelain. The Metallic collection uses cool and contemporary finishes that embody shining metal, whilst Corten replicates metals which have been exposed to the elements, highlighting their weathered texture and blend of shimmering colour.



## SYMPHONY<sup>®</sup> ELEMENTS

#### Metallic



#### Corten



Metallic Brown

Metallic Grey

Metallic Pearl

**Metallic Teal** 





All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



Visit Marshalls YouTube channel to view the porcelain installation video











Anthracite

Beige

Grey

# Neutral colour tones with an elegant pebble design

Boasting all of the beauty of classic sedimentary stone, typically found within the Italian Lombardy region, SYMPHONY Lapis combines a prestigious look and feel with all of the benefits of a modern, low maintenance porcelain paving.

The distinguished pebble design has an understated terrazzo charm, available in a choice of neutral colour tones to create a relaxed and timeless outdoor space.



Visit Marshalls YouTube channel to view the porcelain installation video









Colours

All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

Single Size Pack - 28.8m<sup>2</sup> coverage

800 x 800 x 20

**45** per pack

All







G

47

SYMPHONY® LAPIS & MOTUS

#### Taking inspiration from natural stone, with the

understated elegance whilst maintaining the charm of natural stone. Easy to maintain and with exceptional strength, Motus is ideal for a calming yet chic outdoor space.



durability of porcelain

This beautiful modern porcelain range provides an

All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



Visit Marshalls YouTube channel to view the porcelain installation video







#### ARDARA



Ash

Grey

#### Bringing together elements of industrial concrete to create a contemporary architectural style

This large format paving has been produced using high quality raw materials to re-create that polished concrete look. Technically very strong and hard wearing, with extremely low water absorption, Ardara provides a simple but stylish feel to any space.



Visit Marshalls YouTube channel to view the porcelain installation video



All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





## ARRENTO®



# ARDARA & ARRENTO®

49

S @ www.marshalls.co.uk/gardens-and-driveways

# Stylish low maintenance indoor and outdoor choice

This elegant paving exhibits class leading strength and technical ability beneath its elegant designs. Arrento porcelain is exceedingly practical requiring minimal maintenance as it absorbs little or no moisture, offering few opportunities for moss and algae growth. Ideal in a variety of settings.



Visit Marshalls YouTube channel to view the porcelain installation video

300 x 300 x 20

24

per pack



All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# CONCRETE PAVING

E

**Organa®** Linen

Scan to view our full range online





## **WOODSTONE**<sup>®</sup>



Driftwood

#### All the beauty of real wood replicated in durable concrete

Woodstone is almost indistinguishable from genuine old timber, offering a sought-after weathered appearance of real timber, that will never rot, warp or splinter. Made from high-strength concrete, Woodstone lends itself to natural settings where other paving may look intrusive.



All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

MADE IN

WOODSTONE





## $\mathsf{ARGENT}^{\circ}$



## Stylish granite alternative with premium grade aggregates

Contemporary chic paving that brings together an attractive blend of high quality granite aggregates to create a smart, sophisticated and modern finish. Ideal for creating a host of geometric patio patterns, with a full range of co-ordinating hard landscaping products for the perfect finish.

> MADE IN BRITAIN

CO-ORDINATING PAVING CO-ORDINATING ACCESSORIES CO-ORDINATING ACCESSORIES DELIVER PREMIUM

All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

#### Complete this look Walling p97, Copings p102

52





## HERITAGE®



Yorkstone Old Yorkstone Weathered Yorkstone Calder Brown 53

ARGENT<sup>®</sup> & HERITAGE<sup>®</sup>

## Elegant riven sandstone alternative

Heritage is cast from split stone flags with mason fettled edges. Versatile and elegant, this range offers a popular and attractive riven paving choice, with all the charm of genuine newly quarried Yorkstone.





All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Complete this look Copings p102







Natural

Buff

#### Blended with hard Yorkstone aggregates for a smooth finish

Offering a smooth, ground terrazzo look at an affordable price. Perfecta is designed to complement all property styles, featuring visible Yorkstone aggregates with a smooth finish.



✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





## ORGANA®



# Subtle colours with a natural style

Inspired by nature and the great outdoors, this paving has an attractive riven surface designed to complement modern landscaping design. Designed to deliver long-lasting, durable performance as well as a pleasing aesthetic to any patio. Available in our best-selling plan sizes and a subtle colour palette ranging from light to dark cream, with a rich natural tone.

✓ Available via order select, see pg 130



•

55

PERFECTA® & ORGANA®

All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Complete this look Drystack Veneer Walling p95







#### A trusted favourite for everyday living

Combines the functionality and durability of concrete paving with a distinctive and hardwearing textured finish. Using a blend of Yorkstone aggregate the practical, textured non-slip surface of Saxon is a popular choice with families UK wide. Matching edges are available to achieve an attractive and co-ordinated end result.



600 x 600 x 35 450 x 450 x 35 **30** per pack 600 x 300 x 35 300 x 300 x 35 **60** per pack 10.8m<sup>2</sup> coverage **30** per pack 60 per pack 12.2m<sup>2</sup> coverage 5.4m<sup>2</sup> 5.4m<sup>2</sup> coverage coverage All

All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

**Single Size Packs** 





## **FIREDSTONE**®



## Fired York Dusk Sunrise Autumn

# All the charm of natural stone with the durability of concrete

Stylish and versatile paving, moulded from original flame treated and hand crafted flagstones. With an attractive colour palette and a light, tactile texture, Firedstone is designed to brighten and enhance even the shadiest of garden spaces.

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 126 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. G

**9** 

 $\mathbf{\mathbf{O}}$ 



## TEXTURED UTILITY



#### Practical option for basic areas

The ideal paving for utility areas around the home. This budget choice is hardwearing with a slight textured finish to add character.



 
 Pack Sizes
 Single Size Pack

 600 × 600 × 32
 450 × 450 × 32

 Dimensions in millimetres:
 30 per pack 10.79m² coverage
 450 × 450 × 32

 Colours:
 All



## UTILITY







All

#### No nonsense utility paving

Utility paving offers a hardwearing and effective solution when basic paving is all that is required. Available in two surface finishes; Pendle is riven, whilst Richmond is flat. Not suitable for decorative areas.



# NATURAL STONE DRIVEWAYS

Cart Martin

**Cropped Porphyry Setts** 

Scan to view our full range online







\*Sizes and coverage are those attained when laid with a 5mm joint. All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

Complete this look Cropped Granite Setts p67

## **DRIVEWAY SETTS**



Silver Birch

#### The ultimate in driveways setts

Precisely cut Driveway Setts produced from graded Indian Sandstone, hand selected for beautiful consistent colours. Perfect to give any home a real touch of luxury.

✓ Available via order select, see pg 130







#### Sawn & Tumbled Setts - 10.33m<sup>2</sup> coverage\*



\*\*Split and tumbled setts are calibrated.

#### NATURAL **STONE SETTS**



Sawn & Tumbled, Autumn Bronze

Sawn & Tumbled, Silver Birch

Split & Tumbled, Autumn Bronze

Split & Tumbled, Silver Birch

#### Superb traditional sandstone driveways

Natural stone driveway setts produced from specially selected Indian Sandstone, featuring naturally split stone to give a delicate riven or sawn surface. Hand selected for colour consistency and available in a range of sizes to create a truly outstanding driveway.

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 127 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





205 x 105 x 50

360

per pack

#### Exclusive and iconic **British Yorkstone**

**SCOUTMOOR**<sup>®</sup>

**SETTS** 

This stunning, premium British Yorkstone features in many iconic and prestigious locations across the UK, including Trafalgar Square.

Scoutmoor is predominantly blue/grey in colour with sweeping variable brown bands. To complete the look, combine these setts with our impressive Scoutmoor<sup>®</sup> paving.

✓ Available via order select, see pg 130



0

0 0

 $\odot$ 

www.marshalls.co.uk/gardens-and-driveways

**Diamond Sawn** 

\*Sizes and coverage are those attained when laid with a 5mm joint. All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



#### CROPPED PORPHYRY SETTS



Imperial

## Create stunning driveways, borders and pathways

Offering a truly stunning variation in colour, these robust Porphyry setts, which have been split by hand on the top and bottom and cropped on four sides are sure to create a statement driveway.

**Pack Sizes** 

Single Size Pack - 9.68m<sup>2</sup> coverage\*

110 x 110 x 50

Dimensions n millimetres:

800 per pack

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint. All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





## MAGNASETT



Autumn Gold

Silver Dusk

## A statement choice for driveways or patios

Beautiful large stone setts designed to make a real statement. Equally suitable for use on both driveways and patios, these sandstone setts will add a unique and stylish look to your property and are available in two blended colours of naturally split stone which provides a delicate riven surface.

#### ✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





## FARNLEY<sup>®</sup> SETTS



**Charcoal Multi** 

Silver Blue Multi

#### Attractive natural stone setts for a unique look

Sawn on all six sides and then gently tumbled, Farnley Setts have been purposefully designed to achieve both contemporary and traditional patterns. Choose from three different stone types and blends; Buff Multi made from an Indian Sandstone, Charcoal Multi a robust Indian Basalt or Silver Blue Multi, a stunning Limestone which incorporates delicate white banding.

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





#### \*Granite Eclipse Setts sizes and coverage are those attained when laid with a 5mm joint.

\*\*Cropped Granite Setts sizes and coverage are those attained when laid with a 10mm joint. All products come with specific installation guidelines, see pg 127 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

GRANITE ECLIPSE® SETTS





Cropped Granite Setts, Silver Grey

# Clean lines for a contemporary finish

Our stunning Granite Eclipse Setts are perfect for creating a contemporary driveway. Designed to co-ordinate perfectly with our Granite Eclipse paving, these modern format setts have a lightly flamed surface texture with durable, excellent slip-resistant qualities.

✓ Available via order select, see pg 130 (excluding Cropped Granite Setts)



G





## NEWDALE



Platinum

## A blend of contemporary sizes and on trend colour

Newdale is a premium limestone sourced for its stunning colour and then tumbled to give a characteristic finish. This ethically sourced natural stone will create a contemporary driveway that would compliment traditional or modern property types.

✓ Available via order select, see pg 130



\*Sizes and coverage are those attained when laid with a 5mm joint.

All products come with specific installation guidelines, see pg 127 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# PORCELAIN DRIVEWAYS

SYMPHONY<sup>®</sup> Plus Drive Charcoal 69

Scan to view our full range online







#### SYMPHONY® PLUS DRIVE



## A low maintenance and modern finish for your driveway

All the same fantastic advantages as standard porcelain paving, now for your drive.

With the fantastic benefits of a speedy installation, contemporary aesthetic finish and strong concrete backing, SYMPHONY<sup>®</sup> Plus Drive is perfect for any driveway project.

#### **!** IMPORTANT LAYING INFORMATION

**This product comes with specific installation guidelines.** see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Complete this look Granite Eclipse Setts p67





# CONCRETE DRIVEWAYS

Drivesett Coppice® Cedar & Pennant Blend with Oak Blend

Scan to view our full range online





#### DRIVESYS<sup>®</sup> ORIGINAL COBBLE



Basalt

Iron Grey

Canvas

#### An elegant and timeless reclaimed stone look

Drivesys Original Cobble creates a realistic antique cobble stone look with all the benefits of an engineered concrete driveway. Use a single colour finish or blend a variety of colours to enhance the charm of any home. Co-ordinating roundtop edges are available.



#### Jointing Compound

To complete every Drivesys driveway, each pack is supplied with the right amount of grey ready mixed jointing compound.

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once the seal has weathered blocks may appear lighter in colour.

✓ Available via order select, see pg 130



#### **!** IMPORTANT LAYING INFORMATION

This product comes with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.


#### A subtle riven surface with sharp clean lines

An elegant driveway replicating lightly riven stone, but with the inherent strength and practicality of concrete. Complemented by crisp, straight edges, it offers an attractive and cost effective alternative to natural stone with a practical, hardwearing colour and finish.



### DRIVESYS® RIVEN STONE



**Jointing Compound** 

jointing compound.

appear lighter in colour.

To complete every Drivesys driveway, each pack is supplied with the right amount of grey ready mixed

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until

weathered. Once the seal has weathered blocks may

Basalt

#### ✓ Available via order select, see pg 130



#### **!** IMPORTANT LAYING INFORMATION

This product comes with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Available via order select, see pg



### DRIVESYS<sup>®</sup> FLAMED STONE



**Blue Pennant** 

#### An impactful driveway with a prestigious feel

Create an impact with this larger sized driveway featuring a flamed-effect finish with the prestigious look and feel of Welsh Pennant stone. The realistic stone face profiles, and straight contemporary edges, along with hardwearing colour and finish, make this the perfect stone look driveway.



#### **Jointing Compound**

To complete every Drivesys driveway, each pack is supplied with the right amount of grey ready mixed jointing compound.

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once the seal has weathered blocks may appear lighter in colour.

#### **!** IMPORTANT LAYING INFORMATION

This product comes with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

✓ Available via order select, see pg 130





### **DRIVESYS**<sup>®</sup> **SPLIT STONE**



Basalt

### Subtly sophisticated driveway solution

All the character of premium natural stone with the reliability of modern engineered concrete. This robust design is created using realistic split stone face profiles combined with a straight edge for a sophisticated result.



#### **Jointing Compound**

To complete every Drivesys driveway, each pack is supplied with the right amount of grey ready mixed jointing compound.

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once the seal has weathered blocks may appear lighter in colour.

✓ Available via order select, see pg 130

## IUXURY

#### **! IMPORTANT LAYING INFORMATION**

This product comes with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.





### DRIVELINE METRO<sup>®</sup>



## Striking and streamlined driveway style

Achieve a sharp contemporary look with a distinctive streamlined shape. Lightly washed to expose the aggregate and give a premium finish. Create an eye catching design statement by mixing the four carefully selected colour options.

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





### DRIVESETT **ARGENT**<sup>®</sup>



### Stunning granite finish with premium aggregates

Achieve a premium granite look with this cost effective, attractive and hardwearing concrete. Made using a blend of granite aggregates. Co-ordinating paving and walling in the same range is available to provide greater design potential.

MADE IN

PAVING

✓ Available via order select, see pg 130



£££ PREMIUM

All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Complete this look Driveline Drain p86





### DRIVESETT NATRALE<sup>®</sup>



Sand

Slate

## A subtle and gentle natural stone replica

Drivesett Natrale uses realistic split stone face profiles to provide a cost effective and practical alternative to natural stone driveways. The varied selection of block sizes and warm colour mixes can be used to create attractive random designs.





All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



### The most popular traditional block paving

Original and popular traditional block paving renowned for its lasting performance, offering a classic, high quality driveway. Designed to create an established, timeworn appearance with a variety of block sizes and rich, traditional colour blends.



Due to possible batch colour variation, project packs should not be mixed with single sizes. \*Circle Packs are manufactured as a feature and will therefore not match exactly with the equivalent block paving colour. For best results, lay with contrasting colours. All products come with specific installation guidelines, see pg 127 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### DRIVESETT<sup>®</sup> TEGULA



✓ 160 x 120 x 50 Available via order

select, minimum quantity 1m<sup>2</sup>. See pg 130

MADEIN COORDINATING COORDINATING COORDINATING ACCESSORIES MID RANGE





### DRIVESETT **COPPICE**<sup>®</sup>



Cedar Blend

Oak Blend

Pennant Blend

#### **Distinctive blended** colours for a unique finish

Blended from light to dark in each colour mix, the single size pack contains five different blends which, when laid create an impression of multiple sized block paving. The blocks are lightly riven with an aged edge detail that creates a distinctive driveway. Available in one popular block size for ease of installation and three versatile colours blended to suit a broad range of house types.







### DRIVELINE NOVA®



G

0

@ •

www.marshalls.co.uk/gardens-and-driveways

81

rey

## Traditional colours with a contemporary twist

A paving option with lots of design capabilities and versatility. From the successful combination of two contrasting colours, a larger size option and two textures, smooth and coarse. Driveline Nova gives a traditional product a contemporary edge.

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 128 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Complete this look Granite Eclipse Setts p67





### DRIVESETT SAVANNA®



## Create a versatile driveway for everyday living

An all round great quality, great value product. Designed to create a classic driveway look and finish, with hardwearing performance. These classic shaped blocks are available in a range of contemporary colours and sizes to provide the right aesthetic for every property style.

Complete this look

Savanna Kerb p111

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 128 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





### DRIVELINE 50°



## A trusted favourite with a quality finish

Affordable block paving for driveways with all the inherent qualities of a Marshalls product. These smooth and durable blocks are available in a wide range of vibrant colours that complement the subtle sparkle that can be seen on the surface.

Driveline 50 will maintain this appearance, complementing any style of property for many years to come.







STANDARD BLOCK PAVING



### A budget driveway solution

Budget block paving which offers a slightly more attractive, practical and longer lasting option than a resin or asphalt product.

However, if you're looking for an alternative product of superior quality, take a look at Driveline 50, made with our exclusive 'Surface Performance Technology'.



All products come with specific installation guidelines, see pg 128 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

# DRAINAGE SOLUTIONS

Driveline Drain® Charcoal Also shown: Driveline Metro, Dark Grey







Natural



Charcoal



Sizes mm (nominal)	No. items/ pack	No. blocks/ linear meter	Colours
150 x 100 x 168 70 Diameter	240	10	All

Driveline Drain
Rodding Box & Access Lid
Connector Plate

Accessories (2 & 3) are needed for a complete installation – your required accessories will depend on the length of your drain run. Accessory packs contain 1 x Rodding Box, 1 x Access Lid & 1 x Connector Plate. See installation guide for the full details.

## Patented, innovative linear drainage solution

Driveline Drain is a concrete drainage system that provides a high performance solution to help reduce the risk of flooding and surface water. Designed to work with both contemporary and traditional styled projects, this product comes in two popular colours, Natural and Charcoal, and provides a more attractive solution compared to metal or plastic drainage alternatives.

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 128 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





#### **!** IMPORTANT LAYING INFORMATION

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS. See pg 128 for additional notes on legislation and installation guidelines. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### DRIVESETT ARGENT PRIORA®



## A modern aesthetic with permeable properties

The ultimate sustainable driveway option with no additional drainage required and no need for planning permission. Drivesett Argent Priora is designed to enable rainwater to percolate directly into the ground below, without overloading the drains, thereby reducing flood risk. With all the design appeal of a contemporary granite-look it is is available with a range of co-ordinating, walling and edging features.



87





#### **!** IMPORTANT LAYING INFORMATION

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS. See pg 128 for additional notes on legislation and installation guidelines. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### DRIVESETT TEGULA PRIORA®



Traditional

Pennant Grey

Harvest

## A versatile permeable solution with an aged and authentic look

Drivesett Tegula Priora has been designed to manage heavy rainfall in a sustainable way, with surface water passing through into the ground below. As a result, there is no need for planning permission or any additional drainage. Drivesett Tegula is renowned for its lasting high quality look, whilst featuring an elegant time-worn appearance.







#### **!** IMPORTANT LAYING INFORMATION

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS. See pg 128 for additional notes on legislation and installation guidelines. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### DRIVELINE PRIORA<sup>®</sup>



### A patented permeable driveway solution

The affordable permeable driveway solution, available in a range of attractive and popular colour options to enhance every home. Driveline Priora manages driveway drainage by allowing surface water to pass through the joints directly into the ground below, therefore not overloading the drains and reducing flood risk. Due to this, no planning permission or additional drainage is required.



89

# NATURAL STONE WALLING









Sawn Versuro Walling Caramel Cream Multi Also shown: Autumn Bronze Multi feature band.



**SAWN VERSURO®** 



### A luxurious contemporary choice

Elegant Sawn Versuro walling will enhance any garden setting. Made from the same ethically sourced quartzite Indian Sandstone as the Jumbo Sawn Versuro paving range to give a perfectly co-ordinated finish.



✓ Available via order select, see pg 130



Ø

\*Sizes and coverage are those attained when laid with a 5mm joint.

All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





### TRADITIONAL NATURAL STONE



Pitched Face, Silver Birch

Pitched Face, Autumn Bronze

Tumbled, Silver Birch

Tumbled, Autumn Bronze

✓ Available via order select, see pg 130

ffff

LUXURY

### The classic, rustic walling choice

A beautiful pitched or tumbled finish, providing the perfect choice for traditional yet striking walling designs. Made from ethically sourced sandstone, hand-selected for colour consistency and designed to blend perfectly with Marshalls natural stone paving products.

\*Sizes and coverage are those attained when laid with a 10mm joint.

All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730. Pitched Face Walling is faced on one side and two ends. Tumbled Walling is faced on all sides.







Thickness calibrated to 15mm +/- 1.5mm. Min order 1 kit only. 1 Kit will contain box A, B

and C\* including primer.



#### Project Pack - 1.35m<sup>2</sup> coverage



### STONEFACE<sup>®</sup> TEXTURED



Golden Sand Multi

Silver Birch Multi

## Create striking feature walls with texture and depth

This stunning walling comes in a mix of smooth and textured finishes, with a variety of lengths, widths and thicknesses creating a truly unique looking walling.

The mix in textures creates a more subtle colour blend creating a stunning and soft looking feature wall area.

For simple installation, the correct amount of primer and adhesive will be supplied with each pack.

G

0

0

 $\odot$ 

www.marshalls.co.uk/gardens-and-driveways

All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.





All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### STONEFACE<sup>®</sup> SAWN VENEER



Golden Sand Multi

Caramel Cream Multi

Autumn Bronze Multi

Silver Multi

£££

PREMIUM

## Simple and striking contemporary elegance

⊘ Marshall

These beautiful natural stone veneers have been designed as cladding for existing or purpose built flat walls, combining all the aesthetics of sawn stone walling with the ease of the Stoneface installation method. Hand selected for a consistently matched colour blend that co-ordinates perfectly with all of the Sawn Versuro range.

For simple installation, the correct amount of primer and adhesive will be supplied with each pack.

PAVING

Complete this look

Copings p102, Steps p104





#### Complete this look Copings p102, Steps p104





All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

### **STONEFACE**<sup>®</sup> DRYSTACK VENEER



A beautifully eye-catching

Achieve a stunning finish that transforms existing or purpose built flat walls quickly and easily. These attractive

natural stone veneers use a clever Z-cut panel format to disguise joint lines for a seamless effect. Choose from a

multi colour tone, solid colour or finished with brushed

focal point

Ø

O

0  $\bigcirc$ 

✓ Available via order select, see pg 130

# CONCRETE WALLING

UIE .

Marshalite® Pitched Face Ash Multi Also shown: Argent Coping, Dark.

Scan to view our full range online







### **ARGENT**<sup>®</sup>



#### Stylish granite look for a contemporary design

Clean lines, cool grey colours and an attractive granite texture with sparkle give Argent walling a modern look and feel. This walling is the perfect partner for all other Argent products, creating a distinctive and cohesive finish.

MADE IN

DELIVER

✓ Available via order select, see pg 130



All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

#### Complete this look

Copings p102, Borders p114, an external thin bed adhesive



### CROFT STONE®



180 170
$\Box$
300
of each course 100mm

#### Unique easy-build walling

Designed specifically for the construction of small retained planter walls, Croft Stone walling is the perfect DIY choice. With no mortar required, the walls can be built and rebuilt to suit individual designs. Easy to construct with only one block size.





All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

All



### **MARSHALITE**<sup>®</sup>



Pitched Face,

G 0

0  $\mathbf{\mathbf{O}}$ 

www.marshalls.co.uk/gardens-and-driveways

Pitched Face, Ash Multi

Split Face, Buff

#### A versatile choice for any space

Available in three natural and authentic stone finishes, a range of sizes and two attractive colours, Marshalite walling offers a versatile and effective choice to complement all garden design schemes.



Please note the majority of these units are faced on one side only.

All products come with specific installation guidelines, see pg 129 for additional product notes.

Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

MADEIN





### TEGULA



Traditional

## Add instant character to your property

Complete this look

Copings p102

Tegula walling features a high quality, rustic appearance designed to bring instant character to any property. The perfect combination to our popular Drivesett<sup>®</sup> Tegula<sup>®</sup> driveway paving.

✓ Available via order select, see pg 130



Faced on one side only. All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

100



### OLD MILL<sup>®</sup> BRICK



Sunset

## Charming traditional handmade bricks

Recreating the timeless, warm look of quality crafted brickwork, Old Mill Brick is made from clay and offers the character and beauty found in historic handmade bricks, with the strength and durability of modern brick.



✓ Available via order select, see pg 130



Faced on one side and one end. All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

Single Size Pack - 7.7m2 coverage

TEGULA & OLD MILL® BRICK

# COPINGS & CAPS

Argent<sup>®</sup> Coping Dark Also shown: Sawn Versuro<sup>®</sup> walling.

Scan to view our full range online





#### Practical and stylish finishes for all walling projects

Choose from co-ordinating or contrasting coping colours and finishes to cap off your walls and pillars. As well as completing the walling look, they are an essential component to protect the structure from water damage.

	Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select*
Argent Coping					
	600 x 136 x 50	50	30.5		
Single Size Packs	600 x 272 x 50	25	15.3	LT, DK	v
Drivesett Coping					
Single Size Pack	600 x 300 x 45	20	6*	TR	$\checkmark$
Heritage Coping					
Single Size Pack	600 x 300 x 38	44	34.2	Y, OY	$\checkmark$

Sizes mm (nominal)	No. items/ pack	m /pack	Colours	Order Select*

#### Precast Coping & Caps

Coping Single	600 x 140 x 50 to 30	56	33.6		
Size Packs	600 x 280 x 50 to 30	27	16.2	OW	Ý
Pillar Caps Single	380 x 380 x 76 to 32	24	NI/A	Ovv	
Size Packs	280 x 280 x 63 to 32	48	N/A		v

#### Saxon Coping

Coping Single	600 x 136 x 50	50	30.5	В	1
Size Packs	600 x 272 x 50	25	15.3	В	v

\*For Order Select details see p130



G 0 Ø 

# BULLNOSE STEPS

Þ

Sawn Versuro® Bullnose Steps Caramel Cream Multi

Scan to view our full range online









Lazaro<sup>®</sup> Marble, Ocean (O)



Granite Eclipse®, Dark (ED)



Sawn Versuro<sup>®</sup>, Autumn Bronze Multi (ABM)

Granite Eclipse®, Graphite (GR)



Sawn Versuro<sup>®</sup>, Antique Silver Multi (ASM)

Casarta Slate®, Black (B)†



Capleton<sup>®</sup>, Grange (G)



Capleton<sup>®</sup>, Manor (M)



G

#### Handcrafted stone steps for a beautifully co-ordinated finish

Beautifully hand finished bullnosed natural stone steps. Available in various colours of sandstone, granite, marble, limestone and slate. All available as complete step kits with additional centre pieces, the steps co-ordinate perfectly with their equivalent stone range providing a crafted elegance for a professional finish.

	Sizes mm (nominal)	No. items/ pack	Colours	Order Select*
10 Step Kit				
Centre Stone	entre Stone 560 x 350 x 50 <sup>+</sup>		CCM, GSM, ABM, ASM,	
Corner Radius	350 x 350 x 50 <sup>+</sup>	20	P, O, SG <sup>+,</sup> B <sup>+,</sup> EL, ED, GR, G, M	v
Centre Stone P	Pack			
Centre Stone	560 x 350 x 50 <sup>+</sup>	30	CCM, GSM, ABM, ASM, P, O, SG <sup>+,</sup> B <sup>+,</sup> EL, ED, GR, G, M	√**

\*Order Select is supplied in Single Step Kits (A Single Step Kit comprises; 1 x Centre Stone and 2 x Corner Radius). See p130 for details. \*\*Centre stones are also available as Order Select as well as Step Kits. <sup>+</sup>Casarta Slate steps are 40mm thick.



All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.



# ARTIFICIAL GRASS

THE R. LEWIS CO., NAMES AND ADDRESS OF TAXABLE PARTY.

17

-

10 200

SE 2 2

8 0 0 0 0 0

Charles of party and a

15 AR 10(1.00)

I IST BALL

STATISTICS AND ADDRESS OF STATISTICS

Always Green® Village Green

Scan to view our full range online









## Delivers a natural look to your lawn

Summer Lawn is designed to perfectly replicate natural grass. The light reflection technology, jute colours in the textured thatch layer and soft polyethylene yarns make it look and feel extremely realistic.

ALWAYS GREEN" ARTIFICIAL GRASS

Always Green® Artificial Grass	Pile Height mm	Width m	Length m	Pile and Thatch
	30			
Summer Lawn	26	4	25	100% Polyethelyne
	22			

Always Green is supplied in 4m widths and can be cut to any length up to 25m\*.

A range of Always Green accessories and Shock Pads are also available.







### VILLAGE GREEN



Always Green <sup>®</sup> Artificial Grass	Pile Height mm	Width m	Length m	Pile and Thatch
Village Green	30	Д	25	100% Polyethelyne
village Green	26	-	20	

Always Green is supplied in 4m widths and can be cut to any length up to 25m\*.

A range of Always Green accessories and Shock Pads are also available.

## For a dense vibrant, evergreen finish

A green textured polyethylene thatch layer adds a more vibrant evergreen appearance to your artificial lawn, whilst still remaining soft and natural looking.



\*Minimum of 8sqm and cut to the nearest 1sqm length after that. All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.
# KERBS AND EDGING

Keykerb Charcoal 109

Scan to view our full range online







	Sizes mm (nominal)	No. items/ pack	Linear m/pack	Colours	Order Select
Driveway Edgings					
Drivesys Roundtop	915 x 150 x 60	40	36.6	В	<b>√</b> *
Drivesett Argent	915 x 150 x 63	48	43.92	N, LT, DK	Ť

\*For Order Select minimum quantities is one linear metre. See p130 for details.

## DRIVEWAY EDGING



Drivesys Roundtop Edging, Basalt (B)

Drivesett Argent Edging, Natural (N)

Drivesett Argent Edging, Light (LT)

Drivesett Argent Edging, Dark (DK)

## Essential to the look and practicality of every project

Contemporary edge restraints designed to complement the full range of Marshalls paving and driveway products. Each edging perfectly complements their respective driveway ranges but will also create a superb feature for any range.

Drivesett Argent Edging has the same premium granite look as the Drivesett Argent range, see p77, p87 and can be used to match or contrast. Drivesys Roundtop Edging in Basalt co-ordinates with the expanding range of Drivesys block paving, see p72-75.



All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.







All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

## MARSHALLS **BLOCK KERB**









Tegula Kerb, Traditional (TR)

Drivesett Kerb, Pennant Grey (PG)

Savanna Kerb Charcoal (CH)

## Versatile, easy to use block kerb

All driveways will require some form of edge restraint for long-lasting structural stability. Use these kerbs for all types of design - steps, grass, patios, feature banding as well as driveways and pathways.

Provides attractive restraining edges for driveway and paving projects in some of our most popular aesthetics. These products can be laid easily to retain different shapes and orientations.

	Sizes mm (nominal)	No. items/pack	Colours
TEGULA KERB			
Standard Tegula Kerb	130 x 160 x 250	120	
Radial Internal & External	130 x 160 x 96 x 250	60	TR PG
Return Internal & External	160 x 160 x 250	1	
DRIVESETT KERB			
	120 x 80 x 240	192	TR PG H
SAVANNA KERB			
Single Size Pack	130 x 160 x 250	108	CH

Tegula Kerb and Savanna Kerb co-ordinate with the equivalent block ranges.



G 0

0

 $\odot$ 

www.marshalls.co.uk/gardens-and-driveways

Driveline 4-in-1 Kerb Brindle







#### All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

## 4-IN-1 KERB



# One unit that gives four possibilities

All driveways require edge restraints for long-lasting structural stability, these kerbs can be used for all types of design.

**Driveline** 4-in-1 is the most contemporary version offering a smooth edging profile.

**Drivesett** 4-in-1 has been subtly tumbled to give a timeworn appearance with rustic edges.

	Sizes mm (nominal)	No. items/pack	Colours				
4-in-1 KERB							
Driveline Single Size Pack	100 x 100 x 200	240	BRI CH				
Drivesett Single Size Pack	100 x 100 x 200	240	PG				





### Designed for versatility and practicality



## **KEYKERB**<sup>®</sup>



## Affordable kerb option

Essential to the look and practicality of every project, Keykerb large and small units are designed to work as a barrier or restraint between soft or decorative landscaping and a driveway or paving space. Available in a variety of profiles for vast design capabilities.

Keykerb Large (KL)	lmage No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	No. items/ pack	Colours	Keykerb Small (KS)	
Standard (Dual purpose bullnosed and half battered)	12	100	127	200		100	252	All	Standard (Dual purpose bullnosed and splay	
Radial Bullnosed (Dual purpose internal/external)	3	70	127	200	95		72	С	Radial. Splay (Dual purpose internal/ external)	(
90° Angle Internal (half battered)	4	127	127	200				С, В	90° Angle Internal Splay	(
90° Angle External (half battered)	5	127	127	200	100			С, В	90° Angle External Splay	(
Radial. Half battered (Dual purpose internal/external)	6	70	127	200	95		72	С	Radial. Bullnosed (Dual purpose internal/external)	(
90° Angle Internal (bullnosed)	7	127	127	200				C, B	90° Angle Internal (bullnosed)	(
90° Angle External (bullnosed)	8	127	127	200				С, D	90° Angle External (bullnosed)	(

Keykerb Small (KS)	Image No	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	No. items pack	Colours
Standard (Dual purpose bullnosed and splay	<b>9</b> 10	100	127	125	100	100	378	All
Radial. Splay (Dual purpose internal/ external)	1	70	127	125	95	100	108	All
90° Angle Internal Splay	12	127	127	125				С, В
90° Angle External Splay	B	127	127	125	100			С, D
Radial. Bullnosed (Dual purpose internal/external)	14	70	127	125	95		108	С
90° Angle Internal (bullnosed)	15	127	127	125				C D
90° Angle External (bullnosed)	16	127	127	125				C, B



Charcoal (C) Brindle (B)

# BORDERS

80.146

Hewnstone Edging Light Buff Also shown: Firedstone® Paving.





# The perfect finishing touch to your paving project

A wide range of borders and edgings that can be used to create distinct garden spaces and play a role in maintaining the integrity and strength of the paving they border, providing the perfect finishing touch. Compatible with all paving and pathway ranges to enhance every garden design.

	Sizes mm (nominal)	No. items/ pack	Weight (kg/ each)	Weight (kg/ pack)	Colours	Order Select*
Edging						
Saxon®**	600 x 136 x 50	50	9	469	В	$\checkmark$
Argent <sup>®**</sup>	600 x 136 x 50	50	9	507	LT, DK	$\checkmark$
Contour	600 x 150 x 50	54	9.5	513	В	
Round Top	600 x 150 x 50	54	10.7	578	B, W	
Sawn Versuro®	900 x 150 x 50	20	18.7	893	CCM ABM ASM GSM	$\checkmark$
Victorian Rope Top	590 x 180 x 50	30	12.4	372	RB	N/A
Hewnstone Edging	200 x 450 x 50	20	8.6	172	A LB	~

\*Can be obtained in less than full pack quantities – minimum quantity, single units (see Order Select, p130).

\*\*Coping used as an edging can be obtained in less than full pack quantities – minimum quantity, single units (see Order Select, p130).



# JOINTING

Scan to view our full range online



JOINTING

Selecting the right jointing compound is vital, as every Marshalls Jointing Compound is made specifically for the material they will be installed with to create a strong and durable finish. Use our installation matrix below to help determine the most effective jointing for your project.

For further information or guidance, please contact Group Technical Services on 0333 220 2730.

Installation	Kiln Dried Sand	Weatherpoint <sup>®</sup> 365	SYMPHONY® Jointing Compound	Drivesys <sup>®</sup> Jointing Compound	Marshalls Exterior Jointing Grout
Ideal for Paving Installations		$\checkmark$	1		$\checkmark$
Ideal for Driveway Installations	$\checkmark$			✓ Drivesys® only	
Porcelain Paving		✓	1		$\checkmark$
Sandstone Paving		✓			$\checkmark$
Limestone Paving		✓			$\checkmark$
Granite Paving					$\checkmark$
Marble Paving					$\checkmark$
Slate Paving		✓			$\checkmark$
Concrete Paving		✓			✓ Smooth Surface Only
Natural Stone Driveway Setts					$\checkmark$
Sawn Granite Driveway Setts					$\checkmark$
Drivesys® Driveway System				1	
Driveline <sup>®</sup> Driveways	$\checkmark$				
Drivesett <sup>®</sup> Driveways	$\checkmark$				
Standard Block Paving	$\checkmark$				
Application					
Joint Width	2-5 mm	10-15 mm	3-8mm & min 20mm depth	5-30 mm	3-50mm & min 20mm depth
Bed Type	Flexible	Rigid	Rigid	Semi-Flexible	Rigid
Installation	Brush	Wet & Brush	Wet & Brush	Wet & Brush	Squeegee or Brush
Installation Temperature		3-25℃	3-25°C	3-25°C	5-20°C
Weather Conditions	Dry	Dry/Light Rain	Dry/Light Rain	Dry/Light Rain	Dry, no rain within 6 hours of install
Coverage (approx.)	approx 4.5-6.5m <sup>2</sup>	7m <sup>2</sup>	16-23.4m <sup>2</sup>	5m <sup>2</sup> based on Original Cobble	25m <sup>2</sup> (see paving calculator or call technical helpline)
Technical Difficulty ( $\bigstar$ = easy $\bigstar \bigstar \bigstar \bigstar$ = hard)	*	***	***	***	****
Cure Time (depending on weather conditions)	n/a	24 hours crusting, 30 days fully cured	25 hours crusting, 30 days fully cured	72 hours crusting, 30 days fully cured	Initial 1 hour

# OPTIONAL EXTRAS

Bespoke Design SYMPHONY\* Planks, Sawn Versuro\*, bright stainless steel inlay

CER.

-

1000

-

(The

CIAD



## Simply spray on and leave it to do its magic...



Simply dilute 1 part Green-Away to 5 parts water into your professional sprayer.

**Top tip:** Always add Green-Away to your water and not the other way around and use a 1L measuring jug to ensure the correct dilution.



#### Apply on a dry day when rain is not forecast within 6 hours. The best time for application is in the late afternoon to avoid immediate evaporation.



Always **apply onto a dry surface** and **thoroughly saturate** the surface with Green-Away, then leave to activate.

Top tip: Do not rinse the Green-Away off the area.



The product re-generates with rain to remove all green stains and detritus over the course of the next month and will last up to 12 months,

dependant on the surroundings and level of contamination.

## **GREEN-AWAY**®



Marshalls Green-Away® comes in a handy 5L bottle covering up to a huge 300m² area when using our 12L professional sprayer!!

The ideal solution to remove mould, algae and lichen from all patio, driveway and pavement surfaces. It's also perfect for prevention and maintenance on your new project. Apply annually to keep mould, algae and lichen from developing.

- Almost PH neutral making it gentle and safe to use
- Removes and prevents mould, algae and lichen
- Mould & algae starts disappearing within 2 weeks
- Lichen and black spots start to shrink and disappear within 6 months





	Sizes mm (nominal)	No. items/pack	Order Select
Adjustable Paving Pedestal	22-35mm 35-55mm 55-95mm 95-165mm 165-235mm 200-270mm	25	
Self-levelling Paving Pedestal	40-56mm 50-70mm 70-110mm 110-160mm 150-210mm 200-300mm	25	√*
Stackable Paving Pedestal	150 x 10mm 150 x 15mm	250	

Additional accessory products available.

All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

## MARSHALLS PEDESTALS



Self-levelling

Fixed Head



Stackable Support Pad

# Innovative floating floor system for patio makeovers

Pedestals create a structurally robust 'floating floor' system which can be used with selected sizes and ranges of our porcelain, natural stone and concrete paving. Pedestals can be used on terraces, rooftops and for patio makeovers (where a stable base has already been installed).

There are three different pedestals available in the Marshalls range.



## CHANNELS

	Sizes mm (nominal)	No. items/ pack	Linear m/pack	Colours
Single Size Pack	200 x 200 x 65	240	48	CH



Driveline Channel, Charcoal (CH)



## **TELESCOPIC SECURITY POST**

A simple but effective security device, can be used both in front of the garage and at the driveway entrance to deter theft.

	No. item/pack	Weight (kg/pack)	Colours
Telescopic Security Post	1	22	Black, Yellow, Stainless Steel

MARSHALLS PEDESTALS, CHANNELS & SECURITY POST



All products come with specific installation guidelines, see pg 129 for additional product notes. Full installation guides can be downloaded from our website or contact Group Technical Services on 0333 220 2730.

## BESPOKE SERVICE

Our bespoke service inspires a more creative look at our innovative stone selection. The end result is a truly unique proposition, giving designers and homeowners the freedom to create a garden space that is one of a kind.

#### Did you know?

Bespoke features can also be created using porcelain paving.

While natural stone offers full creative freedom for your bespoke project, porcelain can be used to create stunning pieces for your garden.

Our specialists will guide you through the process and make your ideas a reality.

To take advantage of the Bespoke Service, contact the Marshalls Team on 0333 220 2730.

Scan to find out more about our Bespoke service









# TECHNICAL INFORMATION

Please note, sizes and coverage for all natural stone are those attained when laid with a joint. All the information held within this brochure was correct at the time of print and are subject to change. We would therefore recommend that you check our website for the latest information and digital brochure. Alternatively, please contact our Group Technical Services on 0333 220 2730.

## **General Technical Information**

#### Efflorescence

Efflorescence is a transient phenomenon of Ordinary Portland cement used in the manufacture of concrete products. The occurrence of efflorescence in the pores of the concrete can lead to the appearance of white patches on the surface or an overall lightening of colour, which is often mistaken for the product fading.

Whilst the appearance of efflorescence may be a concern, it is temporary and does not in any way affect the durability or long term performance of the concrete. Natural exposure to weathering is generally sufficient to erode the efflorescence and indeed it is always recommended that an initial period of weathering be allowed to take place.

Responsibility cannot be accepted for its occurrence. For further information, contact Group Technical Services 0333 220 2730.

#### **Other Weathering**

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. Natural stone may develop added markings, deposits or patches as mineral content oxidises.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Marshalls cannot accept responsibility for any of the above conditions.

#### Maintenance

Paving materials require periodic cleaning to maintain their appearance. Regular sweeping to prevent the build-up of detritus is recommended.

Light coloured blocks, whilst structurally sound for driveway use, do emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Proprietary cleaning agents are widely available. However care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay and natural stone.

A trial on a small section of paving is always recommended prior to using on the full area.

For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical.

#### Power-washing

Power-washing with high-pressure equipment is not normally required. Should these methods be employed, the following precautions should be observed:

- Paving should be thoroughly swept to remove detritus (loose debris) that could act as an abrasive agent when moved by the force of a power jet.
- ii. A trial area should be tested before larger scale power-washing takes place.
- iii. No more than a medium pressure should be applied when washing paving.
- iv. The power-washing lance should be held at an oblique angle to the paving and at least 200mm (8") from the surface.
- If excess sand is washed from the joints during the washing exercise, it is important that the joints are re-sanded with similar materials upon completion.
- vi. If mortar joints between pavings are damaged during power-washing they should be re-pointed/made good with fresh pointing as required, to maintain the integrity of the paving.

#### Suitability/Application

The paving flags illustrated in this literature are primarily intended for domestic/landscape use only.

Paving flags suitable for areas subject to intense foot traffic, i.e. pedestrian precincts and commercial applications, etc. are detailed in separate literature. This literature is available on request by telephoning: 0333 220 2730.

For areas subject to vehicular overrun (driveways, parking areas, etc.), block paving products are recommended, (see Driveways section). The block paving products illustrated in this literature are intended for pedestrian and light vehicular overrun applications (driveways and similar).

For pavements subject to frequent overrun of heavy vehicles, block paving from our commercial/specification range should be used. These are detailed in separate literature, copies of which are available on request by telephoning: 0333 220 2730. Should customers be in doubt as to the suitability of any Marshalls product for a given application, please obtain guidance from Group Technical Services Tel: 0333 220 2730.

#### **Colour Variation**

The colours shown in this literature are as exact as photographic and printing processes will allow. You can get samples from www.marshalls.co.uk/homeowners. We strongly recommend that colours are judged and chosen from actual materials rather than photographic representation depicted herein. Although every effort is made to ensure consistency of

product colour, variations between production batches can occur. We therefore recommend that, when purchasing materials, especially in the case of larger quantities, they all come from the same batch and that products are thoroughly mixed on site by drawing from a minimum of three packs.

#### **Batch Variation - Concrete**

Concrete products are made from naturally occurring materials, which means these materials can vary in colour, resulting in a slight variation in a finished product. Despite the use of quality materials, modern and up to date manufacturing techniques and quality control, variation between production batches can occur. Whilst any differences are generally quite minor, they will be noticeable when units from two production batches are laid consecutively within a single area.

We would always advise that batch codes are checked to reduce the risk of product variation and ensure consistency of finish. To prevent this, when multiple packs are being laid in one consecutive area, please ensure you check that they are all from the same production. The batch label will display the product code, with the first two letters identifying the works of origin and the week number indicating which week of the year the product was produced.

#### **Batch Variation - Porcelain**

Colour variation can occur during the manufacturing process of porcelain products. To minimise any variation issues in our ranges, Marshalls only source from first choice tiles, which means we only take stock from the middle of the product run, leaving the few at the beginning and at the end.

We aim to always send your order from the same batch code, so please check all pack information is consistent before supplying. The batch code will be shown as a letter, followed by the number.

#### Batch Variation - Natural stone

The natural origin of stone means that variation in colour, texture and markings is inevitable and is an inherent characteristic of all natural stone.

However, what differentiates Marshalls natural stone from our competitors is that all our stone goes through an agreed selection process for colour, which creates a more subtle and consistent blend across a finished project.

If you have any concerns, please contact our Group Technical Services Team.

#### Availability

Details of pack contents are listed for the guidance of stockists. Product dimensions and weight, etc. are nominal and subject to manufacturing tolerances.

#### \*Patented Paving System

Priora is patented in UK and EP079168931.

#### Natural Stone

In natural stone Iron spots can sometimes be identified, after installation. This is due to oxidisation of iron materials within the matrix of the stone. This does not effect the structural integrity of the stone.

#### Staining

Certain common garden chemicals such as Ferrous Sulphate can stain paving. Please check the information given on the container holding the chemical. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

#### Marshalls Commitment to Quality & Innovation

Marshalls is committed to innovative product development and manufacture. To help you obtain maximum enjoyment and long service from any Marshalls product, we would be pleased to make you aware of the following:

The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the stockist to ensure that they have the latest details.

All Marshalls products are manufactured to the appropriate European Standard where applicable. Where products (or intended usage) lie outside the scope of a British (or European) Standard, Marshalls own standard will be employed. All products are supplied subject to Marshalls Standard Conditions of Sale, a copy of which is available on request. Liability in respect of any statements, conditions, warranties and representations made on behalf of the Company is limited in accordance with the terms set out in the Standard Conditions of Sale.

#### Health and Safety

Care should be taken when handling and installing Marshalls products. Guidelines on the Control Of Substances Hazardous to Health (COSHH) are available for all Marshalls products, either through our website, www.marshalls.co.uk/homeowners or from Group Technical Services, Tel: 0333 220 2730.

#### **Marshalls Register**

All Marshalls Register members are independent businesses and whilst assessed for their installation skills they are not employed by Marshalls.

Marshalls Register of installers are regularly inspected to ensure they comply with the membership agreement. Marshalls are not a party to the contract between the Registered installer and the customer. Marshalls cannot be held responsible for any installation undertaken by a Marshalls Register installer.

#### **Register Installer**

Details of membership are available from Marshalls Register support team on 0333 220 2730.

## **Grass & Paving Notes**

#### Common to all Marshalls Natural Stone:

- · Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of guality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 14 for more information).
- All Marshalls Sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- The natural origin of stone means variation in colour, texture and natural markings is inevitable. Marshalls strive through expert hand selection to ensure the integrity of each natural stone range, however as in all natural products some variation may occur.
- Natural Stone products come with specific installation guidelines. Please contact Group Technical Services on 0333 220 2730 or visit our website www.marshalls.co.uk prior to installation.
- Please note granite and marble are not suitable for use with WeatherPoint 365.
- Best practice is to use slurry primer on all natural stone and porcelain paving.

If you are laying any Marshalls driveway materials for the first time, please contact Group Technical Services on 0333 220 2730 or visit our website www.marshalls.co.uk for installation advice.

#### p18 SCOUTMOOR

- · This pack is made up of random length pieces between 300 - 900mm. 15 linear metres of each gauge supplied. 18m2 coverage without joints. Depending on the sizes in the pack the coverage with a joint will be between 18.5m2 and 19m2.
- This product is supplied 'direct to site' only.
- Slurry back natural stone to increase adhesion and prevent staining.
- It is recommended that you contact Group Technical Services for best installation advice when laying this paving.

#### LAZARO MARBLE p19

- A marble product which should be installed on full mortar bed, and jointed with a proprietary waterproof grout.
- Ensure cutting is carried out using a power saw with the appropriate quality diamond blade.
- Slurry back natural stone to increase adhesion and prevent staining.

- Not suitable for use around a chlorinated or salt water pool.
- For perfect installation of this exceptional paving Marshalls recommend specific primers and bonding agent. Your Register Installer should refer to their Installation Guide or call Group Technical Services on 0333 220 2730.

#### SAWN VERSURO p20

- Remember if used indoors this paying should be sealed with a proprietary water based acrylic sealant.
- When using Jumbo and King Size, due to the weight of the units mechanically aided lifting is essential.
- Please note Jumbo and King Size can only be delivered direct to site
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG) for smooth only.
- Slurry back natural stone to increase adhesion and prevent staining.

#### p22 FLAMED NARIAS

- A lightly flamed natural stone product.
- This paving can be purchased in partial packs through Marshalls Order Select.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).
- Slurry back natural stone to increase adhesion and prevent staining.

#### p23 CAPLETON

- We recommend installing on a full mortar bed.
- Joint with a proprietary waterproof grout.
- Use a slurry primer on the reverse of the slab before installing onto the mortar bed.
- Slurry back natural stone to increase adhesion and prevent staining.

#### **GRANITE ECLIPSE** p24

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces.
- Make sure, if used indoors, paving is sealed with a proprietary water-based acrylic sealant.
- Marshalls recommend using a waterproof external grout. some other jointing compounds may stain this product. Weatherpoint 365 Jointing Compound and MEJG are not suitable.
- Occasionally small micro-fissures can be apparent within Granite Eclipse Graphite, these are not a sign of weakness and cause no issue technically to the stone.
- Slurry back natural stone to increase adhesion and prevent staining.

#### CASARTA SLATE p26

- · Natural slate inevitably shows variation in colour, so viewing the actual samples is always recommended.
- Also dark slate sometimes surface blemishes occur during installation, these will weather in over time.
- If used indoors an appropriate water-based sealant is recommended.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls
- Slurry back natural stone to increase adhesion and prevent staining.

#### p27 TOWNGATE

- This paying has not met the rigorous colour tolerance grading given to our premium grade Versuro Sandstone, therfore more colour variation will be apparent when laid.
- Use a slurry primer on the reverse of the slab before installing onto the mortar bed.
- Slurry back natural stone to increase adhesion and prevent staining.

- This paying is carefully calibrated to a consistent thickness to ensure speed and precision of installation.
- WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).
- prevent staining.

#### NATURAL SLATE p29

- This product is not intended for driveways.
- · This is a natural split product, the thickness can therefore varv between 18-24mm.
- Slurry back natural stone to increase adhesion and prevent staining.

#### LIMESTONE ALURI p30

- · Please note that Charcoal limestone can lighten through natural weathering.
- Slurry back natural stone to increase adhesion and prevent staining.

#### ALVANLEY PAVERS p31

- · This product is not intended for driveways.
- Use a slurry primer on the reverse of the slab before installing onto the mortar bed.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).
- Requires a rigid installation.
- Slurry back natural stone to increase adhesion and prevent staining.

#### SYLVERN p32

- · Install on a full mortar bed.
- Joint with a proprietary waterproof grout.
- · Please note that this product can lighten slightly over a period time. This is a natural weathering process. Cleaning with acid based products should be avoided because this will cause a rapid lightening of the surface.
- Slurry back natural stone to increase adhesion and prevent staining.

#### INDIAN SANDSTONE RIVEN p33

- A budget natural stone product.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).
- Ironing staining may appear on the surface of this product once installed, this causes no technical issues to the stone.
- · Always lay larger face upwards.
- Slurry back natural stone to increase adhesion and prevent staining.

#### p35-38 SYMPHONY PLUS

- · Prior to handling and installation, check the paving for damage. Complaints about visible damage will not be accepted after installation.
- There may be some colour variation between production batches. Batch codes, guantity and colour should therefore be checked prior to install.
- Please make a note of the shade code of the product you have received. This will be advantageous if you need to place orders at a later date to complete a job as it will allow us to send the best match possible.
- Customers should not mix different sizes of the same colour, as there could be colour/shade variation due to the different batches.
- SYMPHONY® Plus comes with specific installation guidelines. Full installation guideline can be downloaded from our website or contact Group Technical Services on 0333 220 2730

# **IMPORTANT TECHNICAL INFORMATION & NOTES**

0 0 Ø  $\odot$ www.marshalls.co.uk/gardens-and-driveways

#### ANTIOUE ALVERNO p28

- A natural stone paving product.
- This paving is ideal for jointing with Marshalls
- Slurry back natural stone to increase adhesion and

- When using SYMPHONY<sup>®</sup> Plus, due to the weight of the units, mechanically aided lifting is essential.
- Sizes and coverage are those attained with a 5-8mm joint.
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact Group Technical Services on 0333 220 2730.

#### p39-46 SYMPHONY

- Prior to handling and installation, check the paving for damage. Complaints about visible damage will not be accepted after installation.
- There may be some colour variation between
  production batches. Batch codes, quantity and colour
  should therefore be checked prior to install.
- A dry lay of this product is recommended before installing onto the full mortar bed to ensure the best colour blend is achieved.
- Please make a note of the shade code of the product you have received. This will be advantageous if you need to place orders at a later date to complete a job as it will allow us to send the best match possible.
- Customers should not mix different sizes of the same colour, as there could be colour/shade variation due to the different batches.
- Porcelain paving, with the exception of the SYMPHONY<sup>®</sup> Plus range, must be primed with a slurry primer before installing onto a full mortar bed. All building materials should be protected from bad weather, both during storage and after initial installation.
- Packs of SYMPHONY® are supplied with the correct amount SYMPHONY® Jointing Compound.
- Sizes and coverage are those attained with a 5-8mm joint.
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact Group Technical Services on 0333 220 2730.

#### p47 MOTUS

- Sizes and coverage are those attained with a 5-8mm joint.
- Paving should be installed rigidly.
- Movement joints should be considered for large areas. For further information and full installation advice contact 03704 112233 to speak with our Technical Team.

#### p48 ARDARA

- Sizes and coverage are those attained with a 5-8mm joint.
- Paving should be installed rigidly.
- Movement joints should be considered for large areas.
   For further information and full installation advice contact 03704 112233 to speak with our Technical Team.

#### p49 ARRENTO

- Sizes and coverage are those attained with a 5-8mm joint.
- For perfect results Arrento Porcelain products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact Group Technical Services on 0333 220 2730.

#### p51 WOODSTONE

Woodstone are faced on both edges for a realistic look.Posts are only faced on 2 sides.

#### p52 ARGENT

- Can be laid on sand bed with sand joint max size 450x450mm.
- For a contemporary look choose Argent Smooth, for greater slip skid properties try Argent Textured.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

#### p53 HERITAGE

- Paving should be bedded on a full bed of mortar.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

#### p54 PERFECTA

- Yorkstone aggregates, give this product excellent nonslip properties, even when wet.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

#### p55 ORGANA

- Paving should be installed rigidly.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

#### p56 SAXON

• This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

#### p57 FIREDSTONE

- Paving should be bedded on a full bed of mortar.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).



- Although performance is good, sizes and colours will be limited, and finish may be varied.
- Sizes listed assume 10mm joint width.
- This paving is ideal for jointing with Marshalls WeatherPoint 365 Jointing Compound or Marshalls Exterior Jointing Grout (MEJG).

## **Driveway Notes**

#### **General Driveway Notes**

- All Marshalls driveway products in this brochure are designed for domestic vehicles only, they are not designed for commercial vehicles.
- Driveways must be installed with edge restraints for stability.
- Driveways must be installed in accordance with current legislation to manage and control water run-off.
- Tools to aid installation are now available from Marshalls. Call 0333 220 2730 to discuss in more detail with our sales team.

#### Natural Stone Driveway Products

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 14 for more information).
- All Marshalls sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance.
   Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- Due to the nature of this product, you may see some colour variation in natural stone products.

#### Marshalls Concrete Driveway Products

- Mix blocks from a minimum of 3 of packs to ensure the correct colour blend.
- Take blocks from vertical columns rather than horizontal layers unless otherwise stated.
- Marshalls concrete block paving is manufactured in different factories. Colour may vary slightly across these works of manufacture.
- Marshalls can supply kiln dried sand, contact your local service centre for more information.
- Jointing sand should be introduced before the initial vibration and a rubber-faced matting on the vibrating plate should be used, except for SYMPHONY plus, where units should not be vibrated.

#### \*For specific installation guides, please contact Group Technical Services on 0333 220 2730.

#### p61-68 NATURAL STONE DRIVEWAYS

 Where a full mortar bed install is recommended it is best practise to coat the back of each flag with slurry primer just before laying. This will assist bonding and stop draw through from the bed.

#### p61 DRIVEWAY SETTS

- · A premium stone driveway product.
- Please note due to the nature of this product significant variation between stones can occur.
- For paths and edging smaller quantities can be ordered via the Order Select service, see p130.
- Slurry back natural stone to increase adhesion and prevent staining.

 The use of the correct installation method is critical for this product, please contact Group Technical Services for more information.

#### p62 NATURAL STONE SETTS

- Please note due to the nature of this product significant variation between stones can occur.
- For paths and edging smaller quantities can be ordered via the Order Select service, see p130.
- Slurry back natural stone to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on 0333 220 2730 for more information.

#### p63 SCOUTMOOR SETTS

- Spoiling may occur on a number of units, this is a natural phenomenon.
- Please note due to the nature of this product significant variation between stones can occur.
- Requires a rigid installation.
- Slurry back natural stone to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on 0333 220 2730 for more information.

#### p64 CROPPED PORPHYRY SETTS

- Please note due to the nature of this product significant variation between stones can occur.
- These setts may sometimes be coated with a natural residue; this can be cleaned off with water after installation, or will naturally wear away overtime.
- Slurry back natural stone to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information on 0333 220 2730.

#### p65 MAGNASETT

- Please note due to the nature of this product significant variation between stones can occur.
- Slurry back natural stone to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information on 0333 220 2730.

#### p66 FARNLEY SETTS

- Please note due to the nature of this product significant variation between stones can occur.
- · Designed to be butt jointed when installed.
- Slurry back natural stone to increase adhesion and prevent staining.

 The use of the correct installation method is critical for this product, please contact Group Technical Services for more information on 0333 220 2730.

#### p67 GRANITE ECLIPSE SETTS

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces.
- Please note due to the nature of this product significant variation between stones can occur.
- The use of the correct installation method is critical for this product.
- Use rubber protector on conductor plate.
- Please note Marshalls WeatherPoint 365 is not suitable for use with this product.
- Slurry back natural stone to increase adhesion and prevent staining.

#### p68 NEWDALE

- Please note due to the nature of this product significant variation between stones can occur.
- Slurry back natural stone to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information on 0333 220 2730.

#### p70 SYMPHONY PLUS DRIVE

- This product comes with specific installation guidelines. Full installation guideline can be downloaded from our website or contact Group Technical Services on 0333 220 2730.
- When using SYMPHONY<sup>®</sup> Plus, due to the weight of the units, mechanically aided lifting is essential.

#### p72-75 DRIVESYS ORIGINAL COBBLE, RIVEN STONE, FLAMED STONE & SPLIT STONE

#### **!** IMPORTANT LAYING INFORMATION

- It is essential that the Drivesys installation guidelines are followed.
- A soil test to check ground and permeability conditions should be completed prior to installation.
- The Drivesys system is not always suitable for poor ground conditions, such as heavy clay areas. We would recommend that you contact us prior to installation for further advice if ground conditions are not ideal.
- Drivesys Jointing Compound is guaranteed for a period of 12 months, or 2 years if the customer has purchased a Marshalls Register Hard Landscaping Guarantee.
- Drivesys must be installed with a solid edge restraint around the perimeter to retain the driveway.
- Drivesys units must come into full contact with the adjoining block when laid.
- Marshalls does not recommend installing Drivesys on a radius.
- Drivesys blocks come with a protective transportation seal which wears off to reveal the slightly, lighter true colour.

- The correct amount of jointing compound is supplied with every pack of Drivesys.
- After installation, scratches may be visible in the transportation seal. This will weather as the seal dissipates but care should be taken to reduce this during installation.
- For driveways with an incline of 15° or more or that has specific installation design requirements, please contact Group Technical Services 0333 220 2730.

#### For more technical information or assistance, please contact Group Technical Services 0333 220 2730.

#### p76 DRIVELINE METRO

- Lay a standard driveway sub-base as a flexible installation.
- Driveline Metro can be a single colour driveway, or you can purchase a number of different colour packs to create a unique effect.
- 80mm block will ensure structural stability but absolutely no commercial vehicle should traffic this product.
- A full layer of kiln dried sand should be deposited before any compaction takes place, making sure all blocks are completely covered.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing, or staining will occur.

#### p77 DRIVESETT ARGENT

- Lay a standard driveway sub-base as a flexible installation.
- Drivesett Argent is also available as a Sustainable
  Drainage system, see Drivesett Argent Priora p87.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing.

#### p78 DRIVESETT NATRALE

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice, laying pattern options can be found on the Marshalls/ Homeowners website.

#### p79 DRIVESETT TEGULA

- Tegula is a trademark of SF Kooperation GmbH.
- Lay a standard driveway sub-base as a flexible installation.
- Perfect for driveways, paths and patios.
- This product is manufactured across the country. Colour may vary slightly across the manufacturing sites.
- Due to the manufacturing process, it is not recommended to mix project packs with single size packs.

- S (a) www.marshalls.co.uk/gardens-and-driveways
- /ing halls/

#### p80 DRIVESETT COPPICE

- · Lay a standard driveway sub-base as a flexible installation.
- Take product from across a layer of the pack to achieve the correct colour blend.
- When laid randomly, colours will give the illusion of multiple block sizes.
- Potential to lay in different patterns, see website for details.

#### p81 DRIVELINE NOVA

- Lay a standard driveway sub-base as a flexible installation.
- The colours blend throughout the packs so please ensure appropriate mix is installed across the area.
- The two textures can be laid together or individually.
  Lay in different laying patterns, see website for recommended options.

#### p82 DRIVESETT SAVANNA

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice, laying patterns on website, marshalls.co.uk/homeowners.

#### p83 DRIVELINE 50

- Lay a standard driveway sub-base as a flexible installation.
- An upgrade to Standard CBP Driveline 50 is an improved driveway product.
- This product is manufactured across the country. Colour may vary slightly across the works of manufacture.
- Lay in different laying patterns, see website for options.

#### p84 STANDARD BLOCK PAVING

- · Lay a standard driveway sub-base as a flexible installation.
- A standard block paving product, made in different factories in England, Scotland and Wales therefore variations in colour and tone may occur.
- See Driveline 50 for a more quality block paver.
- Keykerb range, see p113, provides standard edge restraint for this range.

#### p86 DRIVELINE DRAIN

- Excavate a suitable concrete strip footing, normally 100mm lean mix, to support the Driveline Drain units, outfall and Rodding Boxes.
- Driveline Drain outfalls and Rodding Boxes should be installed first along with relevant pipework to existing underground pipework, soakaway or SuDs compliant system.
- Before installing the Driveline Drain units apply a 5mm bead of adhesive around the bottom half of the drainage hole avoiding the top of the aperture. Lay the units onto a freshly mixed workable concrete bed, making sure you achieve a tight connection between each unit.
- Haunch the units using a bedding concrete of an appropriate thickness and depth.
- On a flexible install lay the paving 3-5mm above the Driveline Drain units. On a rigid install lay the paving flush to the Driveline Drain units.

 For cleaning Driveline Drain please speak to Group Technical Services. If laying this product for the first time please contact Group Technical Services for an Installation Guide on 0333 220 2730.

#### p87 DRIVESETT ARGENT PRIORA

#### p88 DRIVESETT TEGULA PRIORA

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Tegula is a trademark of SF Kooperation GmbH.
  Each 60mm block features the Marshalls unique,
- patented Priora nib.
  No drainage or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Argent Only: Supplied in mixed size packs, blocks are designed to be laid in a coursed laying pattern.
- Argent Only: When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing.

#### p89 DRIVELINE PRIORA

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Each 60mm block features the Marshalls unique, patented Priora nib.
- No drainage, tarmac or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Numerous laying patterns available; contact Group
  Technical Services or see website.

#### PERMEABLE PAVING LEGISLATION

The increased risk of flooding has led to changes in government legislation, meaning that the environmental consequences of creating hard landscaped areas for vehicle parking must now be taken into consideration when planning your driveway project. Visit www.communities.gov.uk for further information.

New and replacement driveways of any size are exempt from planning permission requirements when they use Sustainable Drainage Systems (SuDS).

Marshalls offers a full range of driveway products requiring no planning permission and having a positive impact on the environment.

The Priora Sustainable Drainage Systems (SuDS) has been specifically designed to manage heavy rainfall events. Each 60mm block features the Marshalls patented Priora nib design, which allows surface water to pass between the blocks into a specially calculated sub-base without compromising the structural performance of the driveway.

#### CONDITIONS REQUIRED FOR PRIORA

#### Common to all Priora Driveways:

The Priora design drains water away safely in heavy rainfall without burdening the community drainage system.

If installed with the correct sub-base this permeable paving solution can be used in a front garden without obtaining planning permission.

Specific installation guidance must be followed.

The Priora System should not be attempted by the DIY enthusiast or untrained installer. It requires the careful calculation of a soil permeability test and appropriate use of specially graded sub-base aggregates.\*\* Should an installer wish to undertake training for the installation of this product please call the Marshalls Helpline on 0333 220 2730 for further information.

Visit the Marshalls website to find your nearest Marshalls Register Installers trained to install Priora Systems, or call 0333 220 2730.

The grade of Priora featured in this brochure is only intended for normal domestic vehicles and pedestrian traffic, though occasional delivery vehicles over 3.5 tonnes gross weight can be tolerated.\*

The Domestic Priora System is only intended for driveways or paths where infiltration is required only in the immediate Priora paved area and not from other surrounding paved or roofed areas (see rainwater catchment area quideline opposite).

In some parts of the country there are ground conditions where infiltration could adversely affect foundations to houses, therefore, if in doubt seek advice from a specialist or the local authority building control department.

Properties constructed pre 1920 may not have been built on traditional concrete foundation, therefore in this case, Marshalls Domestic Priora System should not be installed.

Check for services, Priora must not be installed if gas or electric services run through intended Priora areas.

Priora is a trademark of UNI-International Bausysteme GmbH.

#### **GUIDELINES FOR INSTALLING PRIORA**

#### Surface Gradient

The intended Priora area must fall away from the owner's house and any other buildings in the immediate vicinity.

If the driveway exceeds 20m in length and/or has a gradient greater than 1 in 100 then please contact Group Technical Services.\*

The top surface of the driveway should finish at least 150mm below any adjoining wall DPC level.

#### **Existing Foundations**

If your house lies adjacent to or less than 600mm from the proposed Domestic Priora driveway area, establish depth of house foundation before undertaking any soil test/Priora installation. The house foundation top surface must be 600mm (minimum) below the finished level of the top of the proposed Priora driveway.

#### Soil Strength and Permeability

Marshalls Domestic Priora System must be laid on a subgrade which has previously had an established and adequate existing driveway and an area which has a subgrade soil strength greater than 5%.

The Domestic Priora System is only suitable for soil areas where infiltration applies and the test criteria have been met as per the standard permeability test.

For the standard permeability a test hole should be dug for every 20m<sup>2</sup> of driveway. There should be a minimum of two holes. Holes/pits should be spaced evenly in relation to the proposed Priora area.\*

#### Discharge onto Roadway

The Domestic Priora area must not discharge onto surrounding public roadway and pathways and towards any buildings.

#### **Rainwater Catchment Area**

No adjoining surface areas (rainwater pipes, roof areas, etc) must drain onto and into the proposed Domestic Priora driveway area, however, small areas such as door steps and garage areas are acceptable providing they do not exceed 5% of the driveway area.

Guideline: Catchment area = driveway area. Catchment area = drained surface area.

#### Aggregates

Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN13242 and BS EN12620 to ensure compliance.

#### Trees

When installing in close proximity to existing trees, tree roots smaller than 25mm diameter may be pruned back, preferably to a side branch, using a suitable pair of secateurs or hand saw. Roots larger than 25mm should only be severed following consultation with an arboriculturist, as they may be essential to the tree's health and stability. Protection of the pavement will also be required, hence the requirement of a permeable root barrier system such as the Geoweb bio barrier system (www.Fiberweb.com) or similar which is non surface protruding, and therefore, does not present a trip hazard once installed.

#### Health and Safety

It is possible that more excavation for a Priora driveway may be required than that of a driveway constructed of traditional block paving, therefore, care must be taken when excavating ground to a deeper level. Particular care must be taken to protect the sites from children and partially sighted persons and for collapse of adjoining features such as boundary walls/fences.

Check for services, if they run through intended Priora areas, the service provider must be consulted before work commences.

Care must be taken when constructing over sewer, rainwater pipes and water pipes to ensure that the services remain supported for their full length by undisturbed material and are surrounded on the remaining sides by a minimum of 150mm of 6mm material to protect the service.

Permeable joint filled with 6mm clean \_\_\_\_\_ crushed stone

Laying course 50mm depth of 6mm clean crushed stone

> Sub-base 150mm depth of 20mm clean crushed stone with well defined edges

Priora concrete

block paving

## Walling, Steps & Finishing Notes

#### **Common to all Marshalls Walling Products:**

 Marshalls recommends the use of Coping and Caps with all Walling Products. Copings and Caps protect walls against the staining effect of rain for a period of time.

#### Common to all face Veneer Walling Products:

- Where a facing/veneer wall is used with a garden/ soil/planting/aggregates behind it, a membrane must be installed at the rear of the wall to stop moisture draw through.
- Walls over 1.5m high need mechanical fixing.
- The correct drainage (such as weepholes) should be considered for any walling retaining soil.

#### SAWN VERSURO WALLING p91

Faced on all sides.

p92

p95

An external thin bed adhesive is recommended.

#### TRADITIONAL NATURAL STONE WALLING

- A 10mm joint width is recommended with this product.
- Due to tolerance of product, some sorting will be required before commencing installation.

#### STONEFACE TEXTURED WALLING p93

- Due to tolerance of product, some sorting will be required before commencing installation.
- Thickness is calibrated to 15mm +/1 1.5mm.

#### STONEFACE SAWN VENEER WALLING p94

- This product is supplied with the correct amount of adhesive and primer.
- 1.5m height before mechanical fixing is needed.

#### STONEFACE DRYSTACK VENEER WALLING

- · Panels are in a Z cut format to hide joints, for a seamless finish. Please note there is a slight tolerance in this.
- This product is supplied with the correct amount of adhesive and primer.
- The mirrored inserts used in Nero Ouartzite Mirror are made from brushed steel.
- 1.5m height before mechanical fixing is needed.

#### ARGENT WALLING

p97

p98

p101

- Corner Ouoin Ends can be ordered via Marshalls Order Select.
- · Please note this walling is only faced on one side.
- An external thin bed adhesive is recommended.

#### **CROFT STONE WALLING**

- · This walling is ideal for retaining walls up to 6 courses, but should never be used as a freestanding or dividing wall.
- Minimum radius int/left 750mm on base layer.

#### MARSHALITE WALLING p99

- A 10mm joint width is recommended with this product.
- Product is faced on 1 side. Ouoin ends are not available.

#### p100 **TEGULA WALLING**

A 10mm joint width is recommended with this product.

#### OLD MILL BRICK WALLING

- A traditional clay walling product.
- · A 10mm joint width is recommended with this product.

#### **COPINGS & CAPS** p102

No drip grooves included on our range of copings.

#### p104 BULLNOSE STEPS

- · Marshalls has a broad range of high performance natural stone steps, ranging from sandstone to marble and granite.
- They can be used to match Marshalls natural stone paving products or to complement concrete



Requirement will depend on product use, location and weather.

#### ALWAYS GREEN ARTIFICIAL GRASS p107-108

- Grades of grass supplied in 4m widths and can be cut to any length up to 25m (minimum 8m<sup>2</sup>).
- Recommend installing a driveway quality sub-base before laying Always Green for stability.
- Please see supporting diagram below.

Note: No product can be maintenance-free.

#### p110 **KERBS & EDGING**

- · The perfect edge restraints to co-ordinate with the Driveway products or contrast with other products within the Driveways range.
- Tegula and Savanna Kerb have a 45° splay.
- Smallest radius for an internal kerb is 0.46m.
- Smallest radius for external kerb is 0.62m.
- When laying Keykerb, KL protrudes 100-125mm and KS by 25-50mm.
- · Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Group Technical Services.

#### MARSHALLS PEDESTALS p120

- · For best results, ensure you use the rubber base pads on the sub-base to keep the pedestals in place and rubber head pads on the head of the pedestal to reduce noise and minimise movement of the paving units.
- If laying porcelain paving onto a roof terrace or where wind loading may be a concern, apply a small dab of Sika EBT onto both sides of the rubber head pads before installing the paving unit to minimise movement.
- Roughly lay out sufficient pedestals for 4 or 5 paving units at a time.
- For corner units, or when a cut would otherwise reduce the paving unit to half of its original size, reduce the pedestal size by cutting along the bottom of the base unit.
- Lay the paying units, ensuring the pedestals are placed in the correct formation to fully support the unit. For the correct number of pedestals for each plan size, see diagram below:



 Ensure correct falls are incorporated into your design to remove any surface water.

129

NOTES





## Hard Landscape Guarantee

#### Hard Landscape Guarantee Conditions

Marshalls products are manufactured to the highest standards. The Hard Landscape Guarantee is only available for domestic projects installed by a Marshalls Register Installer where a guarantee has been purchased; the cost of the guarantee is £50 + VAT up to the first £5,000 of installed value and £50 + vat for each £5,000 thereafter. The Hard Landscape Guarantee can only be issued by Marshalls upon receipt of a correctly completed Guarantee Request Form and the relevant fee. The Guarantee Request Form is available from your Marshalls Register installer and the relevant sections must be completed by both homeowner and installer. The Hard Landscape Guarantee covers Marshalls branded products. Marshalls hereby warrants, that in the event of the failure of Marshalls products used in the construction of a domestic driveway or patio installed at the address named on the Guarantee, replacement products will be supplied free of charge for a period of 10 years commencing from the installation date. For products produced with Surface Performance Technology this period is extended for a further 10 years. Additionally, the labour costs incurred during the replacement of these faulty materials, and/or labour costs arising from faulty workmanship, will be free of charge for a period of 5 years commencing from the installation date. This guarantee is subject to the terms and conditions detailed on the Marshalls website. This guarantee is offered as an additional benefit by Marshalls and in no way affects any parties' statutory rights.

The house owner is responsible for applications for any relevant planning permission. Marshalls do not accept liability for application of planning permission on any project covered by the Marshalls Hard Landscape Guarantee or otherwise.

In the unlikely event of products reaching you in less than satisfactory condition, you should notify the stockist immediately with details of the product and batch codes printed on the packaging. In addition to this, responsibility for costs incurred for uplifting and relaying defective products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent prior to laying.

Pendle, Textured Utility, Utility and Richmond pavings are intended to serve the 'budget' end of the market and as such should not be confused with premium products such as Heritage or Saxon. In addition to this, because of their limited protection in transit, there is a significant probability of pavings bearing scratch marks to the face. Due to local manufacturing, precise colours and face finishes may vary and it is recommended that pavings from different factories are not mixed on site. Pendle, Textured Utility, Utility and Richmond therefore fall outside the scope of The Hard Landscape Guarantee.

For the avoidance of doubt the performance of Marshalls jointing compounds are excluded from the Hard Landscape Guarantee.

## **Order Select Service**

When designing your garden or driveway there may be times when you do not need a full pack of product, for example when:

- Finishing an area of paving.
- Creating a decorative border.
- Adding to an existing project.

Marshalls 'Order Select' service means that Marshalls stockists and installers can order less than full-pack quantities for most of the products in this brochure.

- Check that the product you need has the Order Select Logo (✔) on the information page in the brochure.
- Carefully calculate the number of each item required, making an allowance for cutting and wastage, however, some may be mixed size packs and although you can order less than pack quantity, this will still be of mixed sizes but just less square metres than in a normal pack.
- Give this to your local stockist who will place your order direct with Marshalls for delivery by express carrier.

A premium is charged for this service, so it may be more economical to adjust the amount to the nearest full pack – especially if you are considering extending the project at a later date. Please note: If ordering a product to extend an existing project, it is likely that batch numbers will be different and the colour may vary.

Please note, on some Project Pack products there may be a limit on the number of single size flags available to order via Order Select. The maximum number will not exceed the amount of that single size contained in the Project Pack.

Our Order Select Service charge is £75 as standard.

## Acknowledgements

We are grateful for the help of the following people and organisations in the production of this brochure:

#### Marshalls Register Members

A Dunlop Landscapes, Prestwick Tel: 01292 471076 Email: alanfdunlop63@gmail.com

All Seasons Landscapes, Stockton-On-Tees Tel: 01740 605019 Email: allseasonslandscapes@aol.co.uk Website: www.allseasonsbespokelandscapes.co.uk

Arun Driveways, Little Hampton Tel: 01903 883023 Email: arundriveways@arundriveways.co.uk Website: www.arundriveways.co.uk

Avantgardens North East Ltd, Hartlepool Tel: 01429 296148 Website: www.avantnortheast.co.uk

Botanica Garden Design, Wirral Tel: 0151 632 0909 Email: info@botanicagardendesign.com Website: www.botanicagardendesign.com

Brockstone Landscape Construction Ltd, Liverpool Tel: 07970 292325 Email: info@brockstone.co.uk Website: www.brockstone.co.uk

Central Drives, Rugeley Tel: 07966 487890 Website: www.centraldrives.co.uk

Discover Paving & Landscaping, Cheshire Website: www.discoverpaving.co.uk

D Stapleton Brickwork, Rochdale Tel: 07791 009947 Email: dstapletonbrickwork@hotmail.com

Esse Landscapes, Crawley Tel: 01342 714095 Email: sales@esseland.co.uk Website: www.esseland.co.uk

Exotic Landscapes Ltd, Bracknell Tel: 01344 311811 Email: info@exoticlandscapes.co.uk Website: www.exoticlandscapes.co.uk Frinton Tarmacadam & Paving Ltd, Frinton-on-Sea Tel: 01255 678662 Email: info@ftpltd.com Website: www.ftpltd.com

Garden TLC Ltd, Oldham Tel: 01706 880177 Email: gardentlc@sky.com Website: www.gardentlc.net

Habitat Landscapes Ltd, Bedford Tel: 01525 860263 Email: info@habitatlandscapes.co.uk Website: www.habitatlandscape.co.uk

Harpenden Block Paving Co, Harpenden Tel: 01582 765268 Email: info@harpendenblockpaving.co.uk Website: www.harpendenblockpaving.co.uk

US Contracting, St Neots Tel: 07786 860322 Email: ijscontracting@outlook.com Website: www.ijscontracting.co.uk

J & D Castle Tel: 01243 572181 Email: jdcastledriveways@yahoo.co.uk

James Bird Landscapes Ltd, Sheffield Tel: 0114 2589290 Email: enquiries@jabird.co.uk Website: www.jabird.co.uk

Jason Clarke Classic Paving, Stockport Tel: 0161 871 8573 Website: www.jc-classicpaving.co.uk

Landscapia Ltd, Stourbridge Tel: 0121 550 2364 Email: sales@landscapia.co.uk Website: www.landscapia.co.uk

Milner Landscapes & Construction, Birmingham Tel: 01675 463738 Website: www.milnerlandscapes.com Newleaf Landscapes, Alfterton Tel: 01773 603790 Website: www.newleaf-landscape.co.uk

P & K Landscape & Building Solutions, Haddington Tel: 07852 295520 Email: pandk.landscape@sky.com Website: www.pandklandscape.co.uk

Perfect Paving Ltd, Keston Tel: 01689 873333 Email: info@perfectpaving.com Website: www.perfectpaving.com

PJB Groundworks Ltd, Darlington Website: www.pjbgroundworks.co.uk

R & A Garden Landscapes Ltd, Birmingham Tel: 0121 537 7273 Email: info@ra-gardenlandscapes.co.uk Website: www.ra-gardenlandscapes.co.uk

R T Landscaping & Building Services, Brechin Tel: 01356 629376 Email: rt.services@outlook.com

Website: rt-landscaping-building-services.business.site

Sandstone Landscapes Construction, York Tel: 01904 422735 Website: www.sandstonelandscapes.co.uk

Signature Landscapes Design & Build, Altrincham Tel: 0161 670 1747 Email: info@signaturelandscapesdesignandbuild.com Website: signaturelandscapesdesignandbuild.com

Walker Landscape & Design, Chester Tel: 01244 301922 Email: walker-design@outlook.com Website: www.walkerlandscapeanddesign.com

#### How to contact Marshalls

#### Call: 0333 220 2730

(Calls may be monitored or recorded)

Whether you would like product or technical advice, an update on your order, to find out more about our registered installers or to make a complaint, we can help.

#### Website: www.marshalls.co.uk/gardens-and-driveways

For ideas and inspiration, product information and to order samples and products online, please visit our website.

Address: Landscape House, Premier Way, Lowfields Business Park, Elland, HX5 9HT 131



To find your nearest Marshalls stockist or find a recommended installer, call: **0333 220 2730** (Calls may be monitored or recorded)

For information, advice and useful tips to realise your own ideas, visit: www.marshalls.co.uk/gardens-and-driveways

Landscape House, Premier Way, Lowfields Business Park, Elland HX5 9HT, United Kingdom

A SUBSIDIARY OF MARSHALLS PLC © COPYRIGHT MARSHALLS 2021

